

# LITERATUURREFERENTIES

- Adams 2001** Adams N, Bestall J, Jones PW. Budesonide for chronic asthma in children and adults. Cochrane Database Syst Rev 2001;CD003274.
- Adams 2002** Adams N, Bestall JM, Jones PW. Inhaled beclomethasone versus budesonide for chronic asthma. Cochrane Database Syst Rev. 2002;(1):CD003530. doi: 10.1002/14651858.CD003530.
- Adams 2005** Adams NP, Bestall JC, Lasserson TJ, Jones PW. Inhaled fluticasone versus placebo for chronic asthma in adults and children. Cochrane Database Syst Rev 2005;CD003135.
- Adams 2007** Adams N, Lasserson TJ, Cates CJ, Jones PW. Fluticasone versus beclomethasone or budesonide for chronic asthma in adults and children. Cochrane Database Syst Rev 2007;CD002310.
- Adeniyi 2012** Adeniyi FB, Young T. Weight loss interventions for chronic asthma. Cochrane Database Syst Rev 2012;7:CD009339.
- Agache 2020** Agache I, Beltran J, Akdis C, Akdis M, Canelo-Aybar C, Canonica GW, Casale T, Chivato T, Corren J, Del Giacco S, Eiwegger T, Firinu D, Gern JE, Hamelmann E, Hanania N, Mäkelä M, Hernández-Martín I, Nair P, O'Mahony L, Papadopoulos NG, Papi A, Park HS, Pérez de Llano L, Posso M, Rocha C, Quirce S, Sastre J, Shamji M, Song Y, Steiner C, Schwarze J, Alonso-Coello P, Palomares O, Jutel M. Efficacy and safety of treatment with biologicals (benralizumab, dupilumab, mepolizumab, omalizumab and reslizumab) for severe eosinophilic asthma. A systematic review for the EAACI Guidelines - recommendations on the use of biologicals in severe asthma. Allergy. 2020 May;75(5):1023-1042.
- Agertoft 2000** Agertoft L, Pedersen S. Effect of long-term treatment with inhaled budesonide on adult height in children with asthma. N Engl J Med 2000; 343:1064.
- Ahmad 2015** Ahmad S, Kew KM, Normansell R. Stopping long-acting beta2-agonists (LABA) for adults with asthma well controlled by LABA and inhaled corticosteroids. Cochrane Database Syst Rev. 2015 Jun 19;6:CD011306. doi: 10.1002/14651858.CD011306.pub2.
- Ahmedani 2013** Ahmedani BK, Peterson EL, Wells KE, Williams LK. Examining the relationship between depression and asthma exacerbations in a prospective follow-up study. PsychosomMed 2013;75:305-10.
- Albertson 2016** Albertson TE1, Richards JR2, Zeki AA3. The combination of fluticasone furoate and vilanterol trifenatate in the management of asthma: clinical trial evidence and experience. Ther Adv Respir Dis. 2016 Feb;10(1):43-56. doi: 10.1177/1753465815619136. Epub 2015 Dec 14.
- Aldea Perona 2016** Aldea Perona A, García-Sáiz M, Sanz Álvarez E. Psychiatric Disorders and Montelukast in Children: A Disproportionality Analysis of the VigiBase®. Drug Saf. 2016 Jan;39(1):69-78.
- Alexandre 2012** Alexandre L, Broughton T, Loke Y, Beales ILP, Meta-analysis: risk of esophageal adenocarcinoma with medications which relax the lower esophageal sphincter. Diseases of the Esophagus (2012) 25, 535–544 DOI: 10.1111/j.1442-2050.2011.01285.x
- Amelink 2014** Amelink M, Hashimoto S, Spinhoven P, Pasma HR, Sterk PJ, Bel EH, Ten Brinke A. Anxiety, depression and personality traits in severe, prednisone-dependent asthma. Respir Med. 2014;108(3):438. and rhinitis. Cochrane Database Syst Rev 2003 (4);CD003570.
- Andersen 2013** Andersen H, Lampela P, Nevanlinna A, Saynajakangas O, Keistinen T. High hospital burden in overlap syndrome of asthma and COPD. Clin Respir J 2013;7:342-6.
- Anderson 2015** Anderson DE, Kew KM, Boyter AC. Long-acting muscarinic antagonists (LAMA) added to inhaled corticosteroids (ICS) versus the same dose of ICS alone for adults with asthma. Cochrane Database Syst Rev. 2015 Aug 24;8:CD011397. doi: 10.1002/14651858.CD011397.pub2.
- ARIA 2010** Brozek JL, Bousquet J, Baena-Cagnani CE, et al. Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines: revision. J Allergy Clin Immunol 2010;126:466-76.
- Armour 2013** Armour C, Reddel H, Fracp K, Lemay B, Bandana Saini B, Smith L, et al. Feasibility and Effectiveness of an Evidence- Based Asthma Service in Australian Community Pharmacies: A Pragmatic Cluster Randomized Trial. Journal of Asthma, 2013; 50(3): 302–309.
- Asthma UK** <https://www.asthma.org.uk/advice/living-with-asthma/fasting>
- Aziz 1998** Aziz I, Hall IP, McFarlane LC, Lipworth BJ. Beta2-adrenoceptor regulation and bronchodilator sensitivity after regular treatment with formoterol in subjects with stable asthma. J Allergy Clin Immunol 1998; 101:337.
- ATS 2019** Graham BL, Steenbruggen I, Barjaktarevic IZ, et al. Standardization of spirometry 2019 update an official American Thoracic Society and European Respiratory Society technical statement. Am J Respir Crit Care Med. 2019;200(8):E70-E88. doi:10.1164/rccm.201908-1590ST.

- Baan 2012** Baan D, Heijmans M., Spreeuwenberg P., Rijken M. Zelfmanagement vanuit het perspectief van mensen met astma of COPD. NIVEL 2012.
- Bansal 2015** Bansal V, Mangi MA, Johnson MM, Festic E. Inhaled corticosteroids and incident pneumonia in patients with asthma: Systematic review and meta-analysis. *Acta Med Acad.* 2015;44(2):135-58. doi: 10.5644/ama2006-124.141.
- Barnes 1998** Barnes PJ, Pedersen S, Busse WW. Efficacy and safety of inhaled corticosteroids. New developments. *Am J Respir Crit Care Med* 1998; 157:S1.
- Barnes 2007** Barnes NC. The properties of inhaled corticosteroids: similarities and differences. *Prim Care Respir J* 2007; 16:149.
- Barnes 2013** Barnes P. Theofylline. *Am J Respir Crit Care Med.* 2013 Oct 15;188(8):901-6.
- Basheti 2007** Basheti IA, Reddel HK, Armour CL, Bosnic-Anticevich SZ. Improved asthma outcomes with a simple inhaler technique intervention by community pharmacists. *J Allergy Clin Immunol* 2007 Jun;119(6):1537-8.
- Bateman 2011** Bateman ED, Harrison TW, Quirce S, Reddel HK, Buhl R, Humbert M, Jenkins CR, et al. Overall asthma control achieved with budesonide/formoterol maintenance and reliever therapy for patients on different treatment steps. *Respir Res* 2011;12:38.
- Bateman 2015** Bateman ED, Reddel HK, van Zyl-Smit RN, Agusti A. The asthma-COPD overlap syndrome: towards a revised taxonomy of chronic airways diseases? *Lancet Respir Med* 2015; 3: 719-28.
- Bateman 2018** Bateman ED, Reddel HK, O'Byrne PM, Barnes PJ, Zhong N, Keen C, Jorup C, et al. As-needed budesonide-formoterol versus maintenance budesonide in mild asthma. *N Engl J Med* 2018;378:1877-87.
- Bavel 1994** van Bavel J, Findlay SR, Hampel FC Jr, et al. Intranasal fluticasone propionate is more effective than terfenadine tablets for seasonal allergic rhinitis. *Arch Intern Med* 1994; 154:2699.
- Beasley 2012** Beasley R, Singh S, Loke YK et al., Call for worldwide withdrawal of tiotropium Respimat mist inhaler. *BMJ*. 2012 Nov 9; 345:e7390.
- Beasley 2019** Beasley R, Holliday M, Reddel HK, Braithwaite I, Ebmeier S, Hancox RJ, Harrison T, et al. Controlled trial of budesonide-formoterol as needed for mild asthma. *N Engl J Med* 2019;380:2020-30.
- Bel 2014** Bel EH, Wenzel SE, Thompson PJ, Prazma CM, Keene ON, Yancey SW, Ortega HG, Pavord ID; SIRIUS Investigators. Oral glucocorticoid-sparing effect of mepolizumab in eosinophilic asthma. *N Engl J Med*. 2014 Sep 25;371(13):1189-97.
- Belisario 2013** Belisario MJS, Huckvale K, Greenfield G, Car J, Gunn LH Smartphone and tablet self management apps for asthma *Cochrane Database Syst Rev*. 2013 Nov 27;2013(11).
- Benavides 2009** Benavides S, Rodriguez JC, Maniscalco-Feichtl M. Pharmacist involvement in improving asthma outcomes in various healthcare settings: 1997 to present. *Ann Pharmacother* 2009 Jan;43(1):85-97.
- Bereznicki 2013** Bereznicki BJ, Peterson G, Jackson S, Walters EH, George J, Stewart K, March GJ. Uptake and effectiveness of a community pharmacy intervention programme to improve asthma management. *J Clin Pharm Ther* 2013 Jun;38(3):212-8.
- Berger 2003** Berger WE, Kaiser H, Gawchik SM, et al. Triamcinolone acetonide aqueous nasal spray and fluticasone propionate are equally effective for relief of nasal symptoms in patients with seasonal allergic rhinitis. *Otolaryngol Head Neck Surg* 2003; 129:16.
- Berger 2006** Berger W, Hampel F Jr, Bernstein J, et al. Impact of azelastine nasal spray on symptoms and quality of life compared with cetirizine oral tablets in patients with seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2006; 97:375.
- Berger 2015** Berger WE, Meltzer EO. Intranasal spray medications for maintenance therapy of allergic rhinitis. *Am J Rhinol Allergy* 2015; 29:273.
- Bernstein 2015** Bernstein DI, Bateman ED, Woodcock A, Toler WT, Forth R, Jacques L, Nunn C, O'Byrne PM. Fluticasone furoate (FF)/vilanterol (100/25 mcg or 200/25 mcg) or FF (100 mcg) in persistent asthma. *J Asthma*. 2015;52(10):1073-83. doi: 10.3109/02770903.2015.1056350. Epub 2015 Aug 18.
- Bernstein 2018** Bernstein D, Andersen L, Forth R, Jacques L, Yates L. Once-daily fluticasone furoate/vilanterol versus twice-daily fluticasone propionate/salmeterol in patients with asthma well controlled on ICS/LABA. *J Asthma*

- Bleecker 2016** Bleecker ER, FitzGerald JM, Chanze P, Papi A, Weinstein SF, Barker P, Sproule S, Gilmartin G, Aurivillius M, Werkström V, Goldman M; SIROCCO study investigators. Efficacy and safety of benralizumab for patients with severe asthma uncontrolled with high-dosage inhaled corticosteroids and long-acting  $\beta$ (2)-agonists (SIROCCO): a randomised, multicentre, placebo-controlled phase 3 trial. Lancet. 2016 Oct 29;388(10056):2115-2127.
- Bleecker 2020** Bleecker ER, Menzies-Gow AN, Price DB, Bourdin A, Sweet S, Martin AL, Alacqua M, Tran N. Systematic Literature Review of Systemic Corticosteroid Use for Asthma Management Am J Respir Crit Care Med. 2020 Feb 1; 201(3): 276–293. Published online 2020 Feb 1. doi: 10.1164/rccm.201904-0903SO.
- Bonekat 2003** Bonekat HW, Hardin KA. Severe upper airway obstruction during sleep. Clin Rev Allergy Immunol. 2003;25(2):191.
- Boreggo 2014** Borrego LM, Fonseca JA, Pereira AM, Pinto VR, Linhares D, Morais-Almeida M. Development process and cognitive testing of CARATkids - Control of Allergic Rhinitis and Asthma Test for children. BMC Pediatr. 2014 Feb 6;14:34.
- Boulet 2006** Boulet LP, Drollmann A, Magyar P, et al. Comparative efficacy of once-daily ciclesonide and budesonide in the treatment of persistent asthma. Respir Med 2006;100:785-94.
- Boulet 2009** Boulet LP. Influence of comorbid conditions on asthma. Eur Respir J 2009;33:897-906
- Boulet 2012** Boulet LP, Turcotte H, Martin J, Poirier P. Effect of bariatric surgery on airway response and lung function in obese subjects with asthma. Respir Med 2012;106:651-60.
- Boulet 2013** Boulet LP. Asthma and obesity. ClinExp Allergy 2013;43:8-21.
- Bousquet 2001** Bousquet J, Van Cauwenberge P, Khaltaev N. Allergic rhinitis and its impact on asthma. J Allergy Clin Immunol 2001;108:S147-S334.
- Bousquet 2004** Bousquet J, Wenzel S, Holgate S, et al. Predicting response to omalizumab, an anti-IgE antibody, in patients with allergic asthma. Chest 2004; 125:1378.
- Brazzale 2015** Brazzale DJ, Pretto JJ, Schachter LM. Optimizing respiratory function assessments to elucidate the impact of obesity on respiratory health. Respirology. 2015;20:715-21.
- Brocklebank 2001** Brocklebank D, Ram F, Wright J, Barry P, Cates C, Davies L. Comparison of the effectiveness of inhaler devices in asthma and chronic obstructive airways disease: a systematic review of the literature. Health Technol Assess. 2001;5(26):1-149.
- Broekhuizen 2014** Broekhuizen BDL, Nijmeijer D, Ten Have-Drenthen LH. Inhalatoren bij astma en COPD. Huisarts en Wetenschap 2014;57(3):142-7.
- Brown 2000** Brown ES, Khan DA, Mahadi S. Psychiatric diagnoses in inner city outpatients with moderate to severe asthma. Int J Psychiatry Med. 2000;30(4):319.
- Bunch 2008** Bunch TJ, Packer DL, Jahangir A, et al. Long-term risk of atrial fibrillation with symptomatic gastroesophageal reflux disease and esophagitis. Am J Cardiol. 2008;102:1207Y1211.
- Burke 2012** Burke H, Leonardi-Bee J, Hashim A, Pine-Abata H, Chen Y. Prenatal and passive smoke exposure and incidence of asthma and wheeze: systematic review and meta-analysis. Pediatrics. 2012 Apr;129(4):735-44
- Busse 2018** Busse WW, Bateman ED, Caplan AL, Kelly HW, O'Byrne PM, Rabe KF, Chinchilli VM. Combined analysis of asthma safety trials of long-acting beta2-agonists. N Engl J Med 2018;378:2497-505.
- CAHAG** [https://cahag.nhg.org/sites/default/files/content/cahag\\_nhg\\_org/images/gli\\_2012\\_0.pdf](https://cahag.nhg.org/sites/default/files/content/cahag_nhg_org/images/gli_2012_0.pdf), geraadpleegd op 30-08-2016
- Calapai 2014** Calapai G, Casciaro M, Miroddi M, Calapai F, Navarra M, Gangemi S. Montelukast-induced adverse drug reactions: a review of case reports in the literature. Pharmacology. 2014;94:60-70.
- CAMP 2000** Long-term effects of budesonide or nedocromil in children with asthma. The Childhood Asthma Management Program Research Group (CAMP). N Engl J Med 2000; 343:1054.
- Campana 2013** Campana LM, Malhotra A, Suki B, et al. The effect of lung stretch during sleep on airway mechanics in overweight and obese asthma. Respir Physiol Neurobiol. 2013;185:304Y312.
- Capewell 1990** Capewell S, Reynolds S, Shuttleworth D, et al. Purpura and dermal thinning associated with high dose inhaled corticosteroids. BMJ 1990; 300:1548.
- Carr 2012** Carr W, Bernstein J, Lieberman P, et al. A novel intranasal therapy of azelastine with fluticasone for the treatment of allergic rhinitis. J Allergy Clin Immunol 2012; 129:1282.

- Carr 2018** Carr TF, Zeki AA, Kraft M. Eosinophilic and Noneosinophilic Asthma. *Am J Respir Crit Care Med.* 2018 Jan 1;197(1):22-37.
- Carson 2013** Carson KV, Chandratilleke MG, Pico J, Brinn MP, Esterman AJ, Smith BJ. Physical training for asthma. *Cochrane Database Syst Rev.* 2013 Sep 30;(9).
- Castro 2011** Castro M, Mathur S, Hargreave F, Boulet LP, Xie F, Young J, Wilkins HJ, Henkel T, Nair P; Res-5-0010 Study Group. Reslizumab for poorly controlled, eosinophilic asthma: a randomized, placebo-controlled study. *Am J Respir Crit Care Med.* 2011 Nov 15;184(10):1125-32.
- Castro 2018** Castro M, Corren J, Pavord ID, Maspero J, et al. Dupilumab Efficacy and Safety in Moderate-to-Severe Uncontrolled Asthma. *N Engl J Med.* 2018 Jun 28;378(26):2486-2496.
- Cates 2013** Cates CJ, Karner C. Combination formoterol and budesonide as maintenance and reliever therapy versus current best practice (including inhaled steroid maintenance), for chronic asthma in adults and children. *Cochrane Database Syst Rev.* 2013 Apr 30;4:CD007313. doi: 10.1002/14651858.CD007313.pub3.
- Cates 2018** Cates CJ, Schmidt S, Ferrer M, Sayer B, Waterson S. Inhaled steroids with and without regular salmeterol for asthma: serious adverse events. *Cochrane Database Syst Rev* 2018;12: Cd006922.
- Cawley 2003** Cawley MJ. Exercise-Induced Asthma. *Journal of Pharmacy Practice* 2003;16;1:59-67.
- Cazzola 2012** Cazzola M, Matera MG. Tremor and  $\beta$ (2)-adrenergic agents: is it a real clinical problem? *Pulm Pharmacol Ther.* 2012 Feb;25(1):4-10. doi: 10.1016/j.pupt.2011.12.004. Epub 2011 Dec 24.
- CBS 2021** Nederland in cijfers; CBS statline. Centraal Bureau voor de Statistiek. [https://opendata.cbs.nl/statline/#/CBS/nl/dataset/7052\\_95/table?ts=1566913641281](https://opendata.cbs.nl/statline/#/CBS/nl/dataset/7052_95/table?ts=1566913641281) [geraadpleegd op 5-2-2021]
- Chalmers 2002** Chalmers GW, Macleod KJ, Little SA, Thomson LJ, McSharry CP, Thomson NC. Influence of cigarette smoking on inhaled corticosteroid treatment in mild asthma. *Thorax* 2002;57:226-30.
- Chan 1988** Chan CS, Woolcock AJ, Sullivan CE. Nocturnal asthma: role of snoring and obstructive sleep apnea. *Am Rev Respir Dis.* 1988;137: 1502Y1504.
- Chan 2011** Chan WW, Chiou E, Obstein KL, Tignor AS, Whitlock TL. The efficacy of proton pump inhibitors for the treatment of asthma in adults: a meta-analysis. *Arch Intern Med* 2011;171:620-9.
- Chauhan 2012** Chauhan BF, Ducharme FM. Anti-leukotriene agents compared to inhaled corticosteroids in the management of recurrent and/or chronic asthma in adults and children. *Cochrane Database Syst Rev* 2012; DOI: 10.1002/14651858.CD002314.pub3.
- Chauhan 2013** Chauhan BF, Chartrand C, Ducharme FM. Intermittent versus daily inhaled corticosteroids for persistent asthma in children and adults. *Cochrane Database Syst Rev.* 2013;2:CD009611.
- Chauhan 2014** Chauhan BF, Ducharme FM. Addition to inhaled corticosteroids of long-acting beta2-agonists versus anti-leukotrienes for chronic asthma. *Cochrane Database Syst Rev.* 2014 Jan 24;1:CD003137. doi: 10.1002/14651858.CD003137.pub5.
- Chauhan 2017** Chauhan BF, Bhupendrasinh FC, Jeyaraman MM, Mann AS, Lys J, Abou-Setta AM, Zarychanski R, Ducharme FM. Addition of anti-leukotriene agents to inhaled corticosteroids for adults and adolescents with persistent asthma. *Cochrane Database Syst Rev* 2017: 0.1002/14651858.CD010347.pub2.
- Cheung 1992** Cheung D, Timmers MC, Zwinderman AH, et al. Long-term effects of a long-acting beta 2-adrenoceptor agonist, salmeterol, on airway hyperresponsiveness in patients with mild asthma. *N Engl J Med* 1992; 327:1198
- Chmielewska 2015** Chmielewska M, Akst LM. Dysphonia associated with the use of inhaled corticosteroids. *Current Opinion in Otolaryngology & Head & Neck Surgery:* June 2015 - Volume 23 - Issue 3 - p 255-259.
- Chung 2019** Chung KF, Adcock IM. Precision medicine for the discovery of treatable mechanisms in severe asthma. *Allergy.* 2019 Sep;74(9):1649-1659.
- Chupp 2017** Chupp GL, Bradford ES, Albers FC, Bratton DJ, Wang-Jairaj J, Nelsen LM, Trevor JL, Magnan A, Ten Brinke A. Efficacy of mepolizumab add-on therapy on health-related quality of life and markers of asthma control in severe eosinophilic asthma (MUSCA): a randomised, double-blind, placebo-controlled, parallel-group, multicentre, phase 3b trial. *Lancet Respir Med.* 2017 May;5(5):390-400.
- Ciftci 2005** Ciftci TU, Ciftci B, Guven SF, et al. Effect of nasal continuous positive airway pressure in uncontrolled nocturnal asthmatic patients with obstructive sleep apnea syndrome. *Respir Med.* 2005;99:529Y534.
- Cockcroft 1993** Cockcroft DW, McParland CP, Britto SA, et al. Regular inhaled salbutamol and airway responsiveness to allergen. *Lancet* 1993; 342:833.

- Coreno 2000** Coreno A , Skowronski M , Kotaru C and McFadden ER. Comparative effects of long-acting beta2-agonists, leukotriene receptor antagonists, and a 5-lipoxygenase inhibitor on exercise-induced asthma. *The Journal of allergy and clinical immunology*, 2000, 106(3), 500.
- Corren 2004** Corren J, Manning BE, Thompson SF, Hennessy S, Strom BL. Rhinitis therapy and the prevention of hospital care for asthma: a case-control study. *J Allergy Clin Immunol* 2004;113:415-9.
- Cortés-Télles 2015** Cortés-Télles A, Torre-Bouscoulet L, Silva-Cerón M, Mejía-Alfaro R, Syed N, Zavorsky GS, et al. Combined effects of mild-to-moderate obesity and asthma on physiological and sensory responses to exercise. *Respir Med*. 2015;109:1397-403.
- Couroux 2009** Couroux P, Kunjibettu S, Hall N, Wingertzahn MA. Onset of action of ciclesonide once daily in the treatment of seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2009; 102:62. CPAP. *Eur Respir J*. 1988;1: 902Y907.
- Crossingham 2021** Crossingham I, Turner S, Ramakrishnan S, Fries A, Gowell M, Yasmin F, Richardson R, Webb P, O'Boyle E, Hinks TS. Combination fixed-dose beta agonist and steroid inhaler as required for adults or children with mild asthma. *Cochrane Database Syst Rev*. 2021 May 4;5(5):CD013518. doi: 10.1002/14651858.CD013518. pub2. PMID: 33945639; PMCID: PMC8096360.
- Cumming 1997** Cumming RG, Mitchell P, Leeder SR. Use of inhaled corticosteroids and the risk of cataracts. *N Engl J Med* 1997; 337:8.
- Day 1998** Day JH, Briscoe M, Widlitz MD. Cetirizine, loratadine, or placebo in subjects with seasonal allergic rhinitis: effects after controlled ragweed pollen challenge in an environmental exposure unit. *J Allergy Clin Immunol* 1998; 101:638.
- Day 2004** Day JH, Briscoe MP, Rafeiro E, et al. Randomized double-blind comparison of cetirizine and fexofenadine after pollen challenge in the Environmental Exposure Unit: duration of effect in subjects with seasonal allergic rhinitis. *Allergy Asthma Proc* 2004; 25:59.
- Dahlen 2002** Dahlén SE, Malmström K, Nizankowska E, Dahlén B, Kuna P, Kowalski M, Lumry WR, Picado C, Stevenson DD, Bousquet J, Pauwels R, Holgate ST, Shahane A, Zhang J, Reiss TF, Szczeklik A. Improvement of aspirin-intolerant asthma by montelukast, a leukotriene antagonist: a randomized, double-blind, placebo-controlled trial. *Am J Respir Crit Care Med*. 2002 Jan 1;165(1):9-14. doi: 10.1164/ajrccm.165.1.2010080.
- Dekhuijzen 2004** Dekhuijzen PNR. Kies de optimale inhalator. *PW* 2004 sept;139(36):1152-1157
- Dekhuijzen 2019** Dekhuijzen PNR, van Aalderen WMC, Kievits RMM, Kooistra J, Hagedoorn P, van Boven JFM. Voorzetkamers zijn niet één-op één uitwisselbaar *Pharmaceutisch Weekblad* 25 januari 2019; 154-4
- Dekhuijzen 2020** Dekhuijzen PNR, Hagedoorn P. Voorzetkamer nooit zomaar inwisselen voor een andere. *Pharmaceutisch Weekblad* 13 november 2020
- Demoly 2014** Demoly, P, Hagedoorn P, Boer de AH, Frijlink HW. The clinical relevance of dry powder inhaler performance for drug delivery. *Respir. Med.* Aug 2014;108(8):1195-1203.
- Derendorf 2006** Derendorf H, Nave R, Drollmann A, et al. Relevance of pharmacokinetics and pharmacodynamics of inhaled corticosteroids to asthma. *Eur Respir J* 2006; 28:1042.
- Devouassoux 2007** Devouassoux G, Lévy P, Rossini E, Pin I, Fior-Gozlan M, Henry M, Seigneurin D, Pépin JL. Sleep apnea is associated with bronchial inflammation and continuous positive airway pressure-induced airway hyperresponsiveness. *J Allergy Clin Immunol*. 2007;119(3):597.
- Di Lorenzo 2004** Di Lorenzo G, Pacor ML, Pellitteri ME, Morici G, Di Gregoli A, Lo Bianco C, et al. Randomized placebo-controlled trial comparing fluticasone aqueous nasal spray in mono-therapy, fluticasone plus cetirizine, fluticasone plus montelukast and cetirizine plus montelukast for seasonal allergic rhinitis. *Clin Exp Allergy* 2004;34:259-67.
- van Dijk 2016** van Dijk L, Bouvy M, de Bakker D, van der Burgt S, Floor-Schreuding. Samenwerking tussen huisarts en openbaar apotheker: stand van zaken en mogelijkheden voor de toekomst. Nivel Mei 2016.
- Dijkstra 2006** Dijkstra A, Vonk JM, Jongepier H, Koppelman GH, Schouten JP, Ten Hacken NH, et al. Lung function decline in asthma: association with inhaled corticosteroids, smoking and sex. *Thorax* 2006;61:105-10.
- Ding 2016** Ding B., Enstone A. (2016) Asthma and chronic obstructive pulmonary disease overlap syndrome (ACOS): structured literature review and physician insights, *Expert Rev Respir Med* 2016 Mar 3; 10(3): 363-371.
- Dixon 2012** Dixon AE, Pratley RE, Forgione PM, et al. Effects of obesity and bariatric surgery on airway hyperresponsiveness, asthma control, and inflammation. *J Allergy Clin Immunol* 2011;128:508-15 e1-2.

|   |   |
|---|---|
| <b>Dolovich 2005</b>  | Dolovich MB, Ahrens RC, Hess DR, Anderson P, Dhand R, Rau JL et al. Device selection and outcomes of aerosol therapy: Evidence-based guidelines. American College of Chest Physicians/American College of Asthma, Allergy and Immunology. <i>Chest</i> 2005;127(1):335-71.doi: 10.1378/chest.127.1.335.   |
| <b>Donahue 1997</b>   | Donahue JG, Weiss ST, Livingston JM, et al. Inhaled steroids and the risk of hospitalization for asthma. <i>JAMA</i> 1997; 277:887.   |
| <b>Donovan 2020</b>   | Donovan T, Milan SJ, Wang R, Banchoff E, Bradley P, Crossingham I. Anti-IL-5 therapies for chronic obstructive pulmonary disease. <i>Cochrane Database Syst Rev</i> . 2020 Dec 8;12(12):CD013432.   |
| <b>Drummond 2008</b>  | Drummond MB, Dasenbrook EC, Pitz MW, et al. Inhaled corticosteroids in patients with stable chronic obstructive pulmonary disease: a systematic review and meta-analysis. <i>JAMA</i> 2008; 300:2407.   |
| <b>Dryden 2010</b>  | Dryden DM, Spooner CH, Stickland MK, Vandermeer B, Tjosvold L, Bialy L, Wong K, Rowe BH. Exercise-induced bronchoconstriction and asthma. <i>Evid Rep Technol Assess (Full Rep)</i> . 2010 Jan.   |
| <b>Duarte 2015</b>  | Duarte RL, Magalhães-da-Silveira FJ. Factors predictive of obstructive sleep apnea in patients undergoing pre-operative evaluation for bariatric surgery and referred to a sleep laboratory for polysomnography. <i>J Bras Pneumol</i> . 2015;41:440-8.   |
| <b>Ducharme 2010</b>  | Ducharme FM1, Ni Chroinin M, Greenstone I, Lasserson TJ. Addition of long-acting beta2-agonists to inhaled corticosteroids versus same dose inhaled corticosteroids for chronic asthma in adults and children. <i>Cochrane Database Syst Rev</i> . 2010 May 12;(5):CD005535. doi:10.1002/14651858.CD005535.pub2.  |
| <b>Dusser 2007</b>  | Dusser D, Montani D, Chanze P, de Blic J, Delacourt C, Deschildre A, Devillier P, et al. Mild asthma: an expert review on epidemiology, clinical characteristics and treatment recommendations. <i>Allergy</i> 2007;62:591-604.   |
| <b>Dutoit 1987</b>  | Dutoit JL, Salome CM, Woolcock AJ. Inhaled corticosteroids reduce the severity of bronchial hyperresponsiveness in asthma but oral theophylline does not. <i>Am Rev Respir Dis</i> 1987; 136:1174.  |
| <b>Edelman 2000</b>   | Edelman JM, Turpin JA, Bronsky EA, Grossman J, Kemp JP, Ghannam AF, DeLucca PT, Gormley GJ, Pearlman DS. Oral montelukast compared with inhaled salmeterol to prevent exercise-induced bronchoconstriction. A randomized, double-blind trial. <i>Exercise Study Group</i> . <i>Ann Intern Med</i> . 2000;132(2):97.   |
| <b>Elliot 2014</b>  | Elliott JP, Marcotullio N, Skoner DP, Lunney P, Gentile DA. Impact of student pharmacist-delivered asthma education on child and caregiver knowledge. <i>Am J Pharm Educ</i> 2014 Dec 15;78(10):188.  |
| <b>Edris 2019</b>   | Edris A, De Feyter S, Maes T, Joos G, Lahousse L. Monoclonal antibodies in type 2 asthma: a systematic review and network meta-analysis. <i>Respir Res</i> . 2019 Aug 8;20(1):179.  |
| <b>Engelkes 2015</b>  | Engelkes M, Janssens HM, de Jongste JC, Sturkenboom MC, Verhamme KM. Medication adherence and the risk of severe asthma exacerbations: a systematic review. <i>Eur Respir J</i> . 2015 Feb;45(2):396-407. doi: 10.1183/09031936.00075614. Epub 2014 Oct 16.   |
| <b>Evans 2015</b>   | Evans D, Kew K, Anderson D, Boyter A. Long-acting muscarinic antagonists (LAMA) added to inhaled corticosteroids (ICS) versus higher dose ICS for adults with asthma. <i>Cochrane Database Syst Rev</i> . 2015 Jul 21;7:CD011437. doi: 10.1002/14651858.CD011437.pub2.  |
| <b>Factsheet LAN<br/>Ongecontroleerd<br/>en ernstig astma</b> | <a href="https://www.medischcontact-nl.proxy.library.uu.nl/ads/folderernstigastma/assets/files/Factsheet%2520astma%2520v2004.pdf">https://www.medischcontact-nl.proxy.library.uu.nl/ads/folderernstigastma/assets/files/Factsheet%2520astma%2520v2004.pdf</a>   |
| <b>Farne 2017</b>   | Farne HA, Wilson A, Powell C, Bax L, Milan SJ. Anti-IL5 therapies for asthma. <i>Cochrane Database Syst Rev</i> . 2017 Sep 21;9(9):CD010834.  |
| <b>FDA 2010</b>   | FDA Drug Safety Communication: New safety requirements for long-acting inhaled asthma medications called Long-Acting Beta-Agonists (LABAs). 2010. <a href="http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm200776.htm">http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm200776.htm</a> |
| <b>FDA 2011</b>   | FDA Drug Safety Communication: FDA requires post-market safety trials for Long-Acting Beta-Agonists (LABAs). 2011. <a href="http://www.fda.gov/Drugs/DrugSafety/ucm251512.htm">http://www.fda.gov/Drugs/DrugSafety/ucm251512.htm</a>  |
| <b>FDA 2020</b>   | <a href="https://www.fda.gov/drugs/drug-safety-and-availability/fda-requires-boxed-warning-about-serious-mental-health-side-effects-asthma-and-allergy-drug">https://www.fda.gov/drugs/drug-safety-and-availability/fda-requires-boxed-warning-about-serious-mental-health-side-effects-asthma-and-allergy-drug</a>   |
| <b>Fletcher 2020</b>  | Fletcher MJ, Tsiligianni I, Kocks JWH, Cave A, Chunhua C, Sousa JCD, Román-Rodríguez M, Thomas M, Kardos P, Stonham C, Khoo EM, Leather D, van der Molen T. Improving primary care management of asthma: do we know what really works? <i>NPJ Prim Care Respir Med</i> . 2020 Jun 17;30(1):29.  |

- Flokstra 2018** Flokstra BM, Baretta H, Fonseca JA, van Heijst E, Kollen BJ, de Kroon J, van der Molen T, Tsiligianni I, de Jong C, Kocks J. Control of Allergic Rhinitis and Asthma Test with 1-week recall: Validation of paper and electronic version. *Allergy*. 2018 Dec;73(12):2381-2385. doi: 10.1111/all.13564. Epub 2018 Aug 13.
- Fonseca 2010** Fonseca JA, Nogueira-Silva L, Morais-Almeida M, Azevedo L, Sa-Sousa A, Branco-Ferreira M, Fernandes L, Bousquet J. Validation of a questionnaire (CARAT10) to assess rhinitis and asthma in patients with asthma. *Allergy* 2010 Aug;65(8):1042-8. doi: 10.1111/j.1398-9995.2009.02310.x. Epub 2010 Feb 1.
- Foster 2014** Foster JM, Usherwoord T, Simth L, Sawyer SM, Xuan W, Rand CS, Reddel HK. Inhaler reminders improve adherence with controller treatment in primary care patients with asthma. *J Allergy Clin Immunol*. 2014 Dec;134(6):1260-1268.
- Foster 2017** Foster JM, Usherwood T, Smith L, Sawyer SM, Xuan W, Rand CS, Reddel HK. Inhaler reminders improve adherence with controller treatment in primary care patients with asthma. *J Allergy Clin Immunol*. 2014 Dec;134(6):1260-1268.
- Fokkens 2012** Fokkens WJ, Lund VJ, Mullol J, et al. EPOS 2012: European position paper on rhinosinusitis and nasal polyps 2012. A summary for otorhinolaryngologists. *Rhinology* 2012;50:1-12.
- Fujita 2001** Fujita K, Kasayama S, Hashimoto J, et al. Inhaled corticosteroids reduce bone mineral density in early postmenopausal but not premenopausal asthmatic women. *J Bone Miner Res* 2001; 16:782.
- Gani 2020** Gani F, Caminati M, Bellavia F, Baroso A, Faccioni P, Pancera P, Veronica B, Gianenrico S. Oral health in asthmatic patients: a review : Asthma and its therapy may impact on oral health. *Clin Mol Allergy* 2020 Nov 7;18(1):22. doi: 10.1186/s12948-020-00137-2.
- Garbe 1997** Garbe E, LeLorier J, Boivin JF, Suissa S. Inhaled and nasal glucocorticoids and the risks of ocular hypertension or open-angle glaucoma. *JAMA* 1997; 277:722.
- Garbe 1998** Garbe E, Suissa S, LeLorier J. Association of inhaled corticosteroid use with cataract extraction in elderly patients. *JAMA* 1998; 280:539.
- Garcia-Cardenas 2016** Garcia-Cardenas V, Armour C, Benrimoj S, Martinez-Martinez F, Rotta I, Fernandez-Llimos F, et al. Pharmacists' interventions on clinical asthma outcomes: a systematic review. *Eur Respir J* 2016; 47: 1134-1143.
- Gebu 2015** Geneesmiddelgerelateerde caries en erosie. *Gebu* 2015; 49: 75-80.
- Geddes 1992** Geddes DM. Inhaled corticosteroids: benefits and risks. *Thorax* 1992; 47:404. Geraadpleegd op 03-12-2016.
- Gibson 2005** Gibson PG, Powell H, Ducharme F. Long-acting beta<sub>2</sub>-agonists as an inhaled corticosteroid-sparing agent for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005; CD005076.
- Gibson 2009** Gibson PG, Simpson JL. The overlap syndrome of asthma and COPD: what are its features and how important is it? *Thorax* 2009;64:728-35.
- GINA 2021** Global Initiative for Asthma. Global Strategy for Asthma Management and Prevention, 2021. Available from: [www.ginasthma.org](http://www.ginasthma.org).
- Gionfriddo 2015** Gionfriddo MR, Michael R.; Hagan, John B.; Hagan, Christina R.;et al. Stepping down inhaled corticosteroids from scheduled to as needed in stable asthma: Systematic review and meta-analysis. *Allergy and Asthma Proceedings*, Volume 36, Number 4, 20 July/August 2015, pp. 262-267(6).
- Giraud 2011** Giraud,V; Allaert,FA; Rocke,N. Inhaler techniqueand asthma; feasibility and acceptability of training by pharmacists. *RespirMed*. 2011;105(12):1815-22.
- Goldney 2003** Goldney RD, Ruffin R, Fisher LJ, Wilson DH. Asthma symptoms associated with depression and lower quality of life: a population survey. *Med J Aust*. 2003;178(9):437.
- Gonzalez 2010** Gonzalez AV, Li G, Suissa S, Ernst P. Risk of glaucoma in elderly patients treated with inhaled corticosteroids for chronic airflow obstruction. *Pulm Pharmacol Ther* 2010; 23:65.
- Goodwin 2003** Goodwin RD, Jacobi F, Thefeld W. Mental disorders and asthma in the community. *Arch Gen Psychiatry* 2003;60:1125-30.
- Graaf 2013** Graaf de L. Roker met astma: toch ICS. *PW* 2013; 51/52: 16-17.
- Grabenhenrich 2014** Grabenhenrich L, Gough H, Reich A, Eckers N, Zepp F. Early-life determinants of asthma from birth to age 20 years: a German birth cohort study. *J Allergy Clin Immunol*. 2014 Apr;133(4):979-88.
- Greisner 1998** Greisner WA 3d, Settipane RJ, Settipane GA. Co-existence of asthma and allergic rhinitis: a 23-year follow-up study of college students. *Allergy Asthma Proc* 1998;19:185-8.

- Griffiths 2013** Griffiths B, Ducharme FM. Combined inhaled anticholinergics and short-acting beta<sub>2</sub>-agonists for initial treatment of acute asthma in children. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD000060.
- Grove 1995** Grove A, Lipworth BJ. Bronchodilator subsensitivity to salbutamol after twice daily salmeterol in asthmatic patients. Lancet 1995; 346:201.
- Guerra 2002** Guerra S, Sherrill DL, Martinez FD, Barbee RA. Rhinitis as an independent risk factor for adult-onset asthma. J Allergy Clin Immunol 2002;109:419-25.
- Guerra 2004** Guerra S, Wright AL, Morgan WJ, Sherrill DL, Holberg CJ, Martinez FD. Persistence of asthma symptoms during adolescence: role of obesity and age at the onset of puberty. Am J Respir Crit Care Med. 2004;170:78-85.
- Guillemainault 1988** Guillemainault C, Quera-Salva MA, Powell N, et al. Nocturnal asthma: snoring, small pharynx and nasal CPAP. Eur Respir J. 1988 Dec;1(10):902-7.
- Gums 2015** Gums, T. H. et al. Physician-pharmacist collaborative management of asthma in primary care. Pharmacotherapy 34, 1033–1042 (2014).
- Haahtela 1991** Haahtela T, Järvinen M, Kava T, et al. Comparison of a beta 2-agonist, terbutaline, with an inhaled corticosteroid, budesonide, in newly detected asthma. N Engl J Med 1991; 325:388.
- Haarman 2017** Haarman MG, van Hunsel F, de Vries TW. Adverse drug reactions of montelukast in children and adults. Pharmacol Res Perspect. 2017 Oct;5(5):e00341. doi: 10.1002/prp2.341. PMID: 28971612; PMCID: PMC5625152.
- Hagan 2014** Hagan JB, Samant SA, Volcheck GW, Li JT, Hagan CR, Erwin PJ, Rank MA. The risk of asthma exacerbation after reducing inhaled corticosteroids: a systematic review and meta-analysis of randomized controlled trials. Allergy Volume 69, Issue 4, pages 510–516, April 2014.
- Haldar 2014** Haldar P, Brightling CE, Singapuri A, Hargadon B, Gupta S, Monteiro W, Bradding P, Green RH, Wardlaw AJ, Ortega H, Pavord ID. Outcomes after cessation of mepolizumab therapy in severe eosinophilic asthma: a 12-month follow-up analysis. J Allergy Clin Immunol. 2014 Mar;133(3):921-3.
- Hamilos 2011** Hamilos DL. Chronic rhinosinusitis: epidemiology and medical management. J Allergy Clin Immunol 2011;128:693-707.
- Han 2016** Han YY, Forno E, Marsland AL, Miller GE, Celedón JC. Depression, Asthma, and Bronchodilator Response in a Nationwide Study of US Adults. J Allergy Clin Immunol Pract. 2016;4(1):68.
- Hanania 2011** Hanania NA, Alpan O, Hamilos DL, Condemi JJ, Reyes-Rivera I, Zhu J, Rosen KE, Eisner MD, Wong DA, Busse W. Omalizumab in severe allergic asthma inadequately controlled with standard therapy: a randomized trial. Ann Intern Med. 2011 May 3;154(9):573-82.
- Haney 2005** Haney S, Hancox RJ. Rapid onset of tolerance to beta-agonist bronchodilation. Respir Med 2005; 99:566.
- Harding 2003** Harding SM. Recent clinical investigations examining the association of asthma and gastroesophageal reflux. Am J Med. 2003;115 Suppl 3A:39S-44S.
- Hardy 2019** Hardy J, Baggott C, Fingleton J, Reddel HK, Hancox RJ, Harwood M, Corin A, et al. Budesonide-formoterol reliever therapy versus maintenance budesonide plus terbutaline reliever therapy in adults with mild to moderate asthma (PRACTICAL): a 52-week, open-label, multicentre, superiority, randomised controlled trial. The Lancet 2019;394:919-28.
- Hausdorff 1990** Hausdorff WP, Caron MG, Lefkowitz RJ. Turning off the signal: desensitization of beta-adrenergic receptor function. FASEB J 1990; 4:2881.
- Havemann 2007** Havemann BD, Henderson CA, El-Serag HB. The association between gastro-oesophageal reflux disease and asthma: a systematic review. Gut. 2007;56(12):1654.
- Hekking 2015** Hekking PPW, Werner RR, Amelink M, Zwijnderman AH, Bouvy ML, Bel EH. The prevalence of severe refractory asthma. J Allergy Clin Immunol. 2015 Apr;135(4):896-902. doi: 10.1016/j.jaci.2014.08.042. Epub 2014 Oct 16.
- Henderson 2020** Henderson I, Caiazzo E, McSharry C, Guzik TJ, Maffia P. Why do some asthma patients respond poorly to glucocorticoid therapy? Pharmacol Res. 2020 Oct;160:105189. doi: 10.1016/j.phrs.2020.105189. Epub 2020 Sep 8. PMID: 32911071; PMCID: PMC7672256.
- Hirano 2018** Hirano T, Matsunaga K. J Asthma Allergy. 2018 Feb 9;11:19-27. doi: 10.2147/JAA.S125948. eCollection 2018.

- Hoffman 2016** Hoffmann, R. F. (2016). Cigarette smoke-induced oxidative stress in COPD: Effects on mitochondrial function, the lipidome and glucocorticoid responsiveness in airway epithelium. Rijksuniversiteit Groningen.
- Horak 2005** Horak F, Zieglmayer PU, Zieglmayer R, et al. Levocetirizine has a longer duration of action on improving total nasal symptoms score than fexofenadine after single administration. *Br J Clin Pharmacol* 2005; 60:24.
- Hore 2005** Hore I, Georgalas C, Scadding G. Oral antihistamines for the symptom of nasal obstruction in persistent allergic rhinitis – a systematic review of randomized controlled trials. *Clin Exp Allergy* 2005;35:207-12.
- Hubbard 2002** Hubbard RB, Smith CJ, Smeeth L, et al. Inhaled corticosteroids and hip fracture: a population-based case-control study. *Am J Respir Crit Care Med* 2002; 166:1563.
- Hubbard 2006** Hubbard R, Tattersfield A, Smith C, West J, Smeeth L, Fletcher A. Use of Inhaled Corticosteroids and the Risk of Fracture. *Chest*. 2006;130(4):1082-1088. doi:10.1378/chest.130.4.1082.
- Hughes 1999** Hughes JA, Conry BG, Male SM, Eastell R. One year prospective open study of the effect of high dose inhaled steroids, fluticasone propionate, and budesonide on bone markers and bone mineral density. *Thorax* 1999; 54:223.
- Invernizzi 2009** Invernizzi G, Ruprecht A, De Marco C et al. Inhaled steroid/tobacco smoke particle interactions: a new light on steroidresistance. *Respir Res* 2009 Jun 11;10:48.
- Ip 1994** Ip M, Lam K, Yam L, et al. Decreased bone mineral density in premenopausal asthma patients receiving long-term inhaled steroids. *Chest* 1994; 105:1722.
- Israel 2001** Israel E, Banerjee TR, Fitzmaurice GM, et al. Effects of inhaled glucocorticoids on bone density in premenopausal women. *N Engl J Med* 2001; 345:941.
- Ito 2001** Ito K, Lim S, Caramori G, Chung KF, Barnes PJ, Adcock IM. Cigarette smoking reduces histone deacetylase 2 expression, enhances cytokine expression, and inhibits glucocorticoid actions in alveolar macrophages. *FASEB J*. 2001 Apr;15(6):1110-2. PMID: 11292684.
- Jansen 2014** Jansen I, Keizers S. Evaluatie van een stoppen-met-roken-interventie in de openbare apotheek. PW wetenschappelijk platform 2014, 8:2.
- Janson 1996** Janson C, De Backer W, Gislason T, et al. Increased prevalence of sleep disturbances and daytime sleepiness in subjects with bronchial asthma: a population study of young adults in three European countries. *Eur Respir J*. 1996;9:2132Y2138.
- Jeffery 2021** Jeffery MM, Inselman JW, Maddux JT, Lam RW, Shah ND, Rank MA. Asthma Patients Who Stop Asthma Biologics Have a Similar Risk of Asthma Exacerbations as Those Who Continue Asthma Biologics. *J Allergy Clin Immunol Pract*. 2021 Jul;9(7):2742-2750.e1.
- Jia 2013** Jia CE, Zhang HP, Lv Y, Liang R, Jiang YQ, Powell H, et al. The Asthma Control Test and Asthma Control Questionnaire for assessing asthma control: Systematic review and meta-analysis. *J Allergy Clin Immunol* 2013;131:695-703.
- Johnson 1996** Johnson M. Pharmacodynamics and pharmacokinetics of inhaled glucocorticoids. *J Allergy Clin Immunol* 1996; 97:169.
- Jokic 1999** Jokic R, Klimaszewski A, Crossley M, Sridhar G, Fitzpatrick MF. Positional treatment vs continuous positive airway pressure in patients with positional obstructive sleep apnea syndrome. *Chest* 1999; 115: 771-781.
- Jones 2002** Jones A, Fay JK, Burr M, et al. Inhaled corticosteroid effects on bone metabolism in asthma and mild chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2002; :CD003537.
- Jorup 2018** Jorup C, Lythgoe D, Bisgaard H. Budesonide/formoterol maintenance and reliever therapy in adolescent patients with asthma. *Eur Respir J* 2018;51.
- Juniper 1990** Juniper EF, Kline PA, Vanzieghem MA, et al. Effect of long-term treatment with an inhaled corticosteroid (budesonide) on airway hyperresponsiveness and clinical asthma in nonsteroid-dependent asthmatics. *Am Rev Respir Dis* 1990; 142:832.
- Juniper 1994** Juniper EF, Guyatt GH, Willan A, Griffith LE. Determining a minimal important change in a disease-specific quality of life instrument. *J Clin Epidemiol* 1994; 47: 81-87.
- Juniper 1999A** Juniper EF, O'Byrne PM, Guyatt GH, Ferrie PJ, King DR. Development and validation of a questionnaire to measure asthma control. *Eur Respir J* 1999; 14: 902-7.
- Juniper 1999B** Juniper EF, Buist AS, Cox FM, Ferrie PJ, King DR. Validation of a standardised version of the Asthma Quality of Life Questionnaire. *Chest* 1999; 115: 1265-1270.

- Kaszuba 2001** Kaszuba SM, Baroody FM, deTineo M, et al. Superiority of an intranasal corticosteroid compared with an oral antihistamine in the as-needed treatment of seasonal allergic rhinitis. *Arch Intern Med* 2001; 161:2581.
- Kauppi 2011** Kauppi P, Kupiainen H, Lindqvist A, et al. Overlap syndrome of asthma and COPD predicts low quality of life. *J Asthma* 2011;48:279-85.
- Kelly 2008** Kelly HW, Van Natta ML, Covar RA, et al. Effect of long-term corticosteroid use on bone mineral density in children: a prospective longitudinal assessment in the childhood Asthma Management Program (CAMP) study. *Pediatrics* 2008; 122:e53.
- Kelly 2009** Kelly HW. Comparison of inhaled corticosteroids: an update. *Ann Pharmacother* 2009; 43:519.
- Kelly 2012** Kelly HW, Sternberg AL, Lescher R, et al. Effect of inhaled glucocorticoids in childhood on adult height. *N Engl J Med* 2012; 367:904.
- Kersten 2012** Kersten ETG, van Leeuwen J, Brand LP, Duiverman EJ, de Jongh FCH, Thio BJ, Driessen JMM. Effect of an intranasal corticosteroid on exercise induced bronchoconstriction in asthmatic children. *Pediatr Pulmonol*. 2012 Jan;47(1):27-35. doi: 10.1002/ppul.21511. Epub 2011 Aug 24.
- Kerstjens 2011** Kerstjens H, Disse, B, Schröder-Baba W, Bantje T, Gahlemani M, Sigmund R, et al. Tiotropium improves lung function in patients with severe uncontrolled asthma: A randomized controlled trial. *J All Clin Im* 2011;128(2):308-13.
- Kerstjens 2012** Kerstjens HA, Engel M, Dahl R, et al. Tiotropium in asthma poorly controlled with standard combination therapy. *N Engl J Med* 2012;367:1198-207.
- Kerstjens 2020** Kerstjens HAM, Maspero J, Chapman KR, van Zyl-Smit RN, Hosoe M, Tanase AM, Lavecchia C, Pethe A, Shu X, D'Andrea P; IRIDIUM trial investigators. Once-daily, single-inhaler mometasone-indacaterol-glycopyrronium versus mometasone-indacaterol or twice-daily fluticasone-salmeterol in patients with inadequately controlled asthma (IRIDIUM): a randomised, double-blind, controlled phase 3 study. *Lancet Respir Med*. 2020 Oct;8(10):1000-1012. doi: 10.1016/S2213-2600(20)30190-9. Epub 2020 Jul 9. PMID: 32653074.
- Kew 2013** Kew KM, Karner C, Mindus SM, Ferrara G. Combination formoterol and budesonide as maintenance and reliever therapy versus combination inhaler maintenance for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2013;12:CD009019.
- Kew 2014** Kew KM, Seniukovich A. Inhaled steroids and risk of pneumonia for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev*. 2014 Mar 10;3:CD010115. doi: 10.1002/14651858.CD010115.pub2. Review.
- Kew 2015a** Kew K, Evans D, Allison D, Boyter A. Long-acting muscarinic antagonists (LAMA) added to inhaled corticosteroids (ICS) versus addition of long-acting beta2-agonists (LABA) for adults with asthma. *Cochrane Database Syst Rev*. 2015 Jun 2;6:CD011438. doi: 10.1002/14651858.CD011438.pub2.
- Kew 2015b** Kew KM, Beggs S, Ahmad S. Stopping long-acting beta2-agonists (LABA) for children with asthma well controlled on LABA and inhaled corticosteroids. *Cochrane Database Syst Rev*. 2015 May 21;5:CD011316. doi: 10.1002/14651858.CD011316.pub2.
- Kew 2016a** Kew K, Dahri K. Long-acting muscarinic antagonists (LAMA) added to combination long-acting beta2-agonists and inhaled corticosteroids (LABA/ICS) versus LABA/ICS for adults with asthma. *Cochrane Database Syst Rev*. 2016 Jan 21;1:CD011721. doi: 10.1002/14651858.CD011721.pub2.
- Kew 2016b** Kew K, Cates C. Remote versus face-to-face check-ups for asthma. *Cochrane Database Syst Rev*. 2016 Apr 18;4.
- Kiljander 2004** Kiljander TO, Laitinen JO. The prevalence of gastroesophageal reflux disease in adult asthmatics. *Chest*. 2004;126(5):1490.
- Kiljander 2006** Kiljander TO, Harding SM, Field SK, Stein MR, Nelson HS, Ekelund J, Illueca M, Beckman O, Sostek MB. Effects of esomeprazole 40 mg twice daily on asthma: a randomized placebo-controlled trial. *Am J Respir Crit Care Med*. 2006;173(10):1091.
- Kim 2007** Kim K, Weiswasser M, Ruediger N. Safety of once daily ciclesonide nasal spray in children 2 to 5 years of age with perennial allergic rhinitis. *Pediatr Asthma Allergy Immunol* 2007; 20:229.
- Kirtsreesakul 2011** Kirtsreesakul V, Wongsirirat K, Ruttanaphol S. Clinical efficacy of a short course of systemic steroids in nasal polyposis. *Rhinology*. 2011;49(5):525-32.

|                        |   |
|------------------------|---|
| <b>Klauw 2012</b>      | Klauw van der M, Verheijden M, Dommelen van P. Monitor Gezond Gewicht - Voorbeeldgedrag Ouders. TNO 2012.   |
| <b>Klijn 2017</b>      | Klijn SL, Hiligsmann M, Evers SM, Román-Rodríguez M, van der Molen T, van Boven JF. Effectiveness and success factors of educational interventions on inhalation technique in asthma & COPD: a systematic review. <i>npj Primary Care Respiratory Medicine</i> 2017; 27: 24.      |
| <b>KNMP 2021</b>       | Informatorium Medicamentorum 2020 . Geneesmiddel informatiecentrum van de KNMP.   |
| <b>KNMP Consult</b>    | KNMP-richtlijn Consultvoering juni 2021   |
| <b>KNMP COPD</b>       | KNMP-richtlijn COPD 2014 maart 2014   |
| <b>KNMP Diabetes</b>   | KNMP-richtlijn Diabetes september 2019  |
| <b>KNMP MB</b>         | KNMP-richtlijn Medicatiebewaking december 2016  |
| <b>KNMP MBO</b>        | KNMP-richtlijn Medicatiebeoordeling november 2013   |
| <b>KNMP THS</b>        | KNMP-richtlijn Ter hand stellen juni 2013   |
| <b>KNMP Zelfzorg</b>   | Standaarden voor Zelfzorg, tiende editie, herziene druk 2021  |
| <b>Knorr 2001</b>      | Knorr B, Franchi LM, Bisgaard H, et al. Montelukast, a leukotriene receptor antagonist, for the treatment of persistent asthma in children aged 2 to 5 years. <i>Pediatrics</i> 2001;108:E48.   |
| <b>Kobayashi 2014</b>  | Kobayashi Y, Bossley C, Gupta A, Akashi K, Tsartsali L, Mercado N, Barnes PJ, Bush A, Ito K. Passive smoking impairs histone deacetylase-2 in children with severe asthma. <i>Chest</i> . 2014 Feb;145(2):305-312. doi: 10.1378/chest.13-0835. PMID: 24030221; PMCID: PMC3913299. |
| <b>Kosse 2017</b>      | Kosse R, Bouvy M, de Vries T, Kaptein A, Geers H, van Dijk L. mHealth intervention to support asthma self-management in adolescents: the ADAPT study. <i>Patient Prefer Adherence</i> . 2017 Mar 16;11:571-577.   |
| <b>Kosse 2019a</b>     | Kosse RC, Bouvy ML, de Vries TW, Koster ES. Effect of a mHealth intervention on adherence in adolescents with asthma: a randomized controlled trial. <i>Respir Med</i> . 2019;149:45-51.  |
| <b>Kosse 2019b</b>     | Kosse RC, Bouvy ML, de Vries TW, Koster ES. Evaluation of a mobile health intervention to support asthma self-management and adherence in the pharmacy. <i>Int J Clin Pharm</i> . 2019;41(2):452-459.   |
| <b>Kosse 2020</b>      | Kosse RC, Murray M, Bouvy ML, de Vries TW, Stevenson F, Koster ES. Potential normalization of an asthma mHealth intervention in community. <i>Res. Soc. Adm. Pharm.</i> 16, 195–201 (2020) pharmacies: Applying a theory-based framework.   |
| <b>Kowalski 2016</b>   | Kowalski ML1, Wojciechowski P, Dziewonska M, Rys P. Adrenal suppression by inhaled corticosteroids in patients with asthma: A systematic review and quantitative analysis. <i>Allergy Asthma Proc</i> . 2016 Jan;37(1):9-17.  |
| <b>Kramer 2013</b>     | Kramer S, Rottier BL, Scholten RJ, Boluyt N,. Ciclesonide versus other inhaled corticosteroids for chronic asthma in children. <i>Cochrane Database Syst Rev</i> . 2013 Feb 28;2:CD010352. doi: 10.1002/14651858.CD010352.  |
| <b>Kuipers 2017</b>    | E. Wensing M, de Smet P, Teichert M. Self-management research of asthma and good drug use (SMARAGD study): a pilot trial. <i>Int J Clin Pharm</i> . 2017 Aug;39(4):888-896.   |
| <b>Kuruvilla 2019</b>  | Kuruvilla ME, Lee FE, Lee GB. Understanding Asthma Phenotypes, Endotypes, and Mechanisms of Disease. <i>Clin Rev Allergy Immunol</i> . 2019;56(2):219-233. doi:10.1007/s12016-018-8712-1.   |
| <b>Lafond 2007</b>     | Lafond C, Séries F, Lemière C. Impact of CPAP on asthmatic patients with obstructive sleep apnoea. <i>Eur Respir J</i> . 2007;29:307Y311.   |
| <b>LaForce 2010</b>    | LaForce CF, Carr W, Tilless SA, et al. Evaluation of olopatadine hydrochloride nasal spray, 0.6%, used in combination with an intranasal corticosteroid in seasonal allergic rhinitis. <i>Allergy Asthma Proc</i> 2010; 31:132.   |
| <b>Lal 2011</b>        | Lal D, Hwang PH. Oral corticosteroid therapy in chronic rhinosinusitis without polyposis: a systematic review. <i>Int Forum Allergy Rhinol</i> . 2011;1(2):136-43.  |
| <b>LAN 2012</b>        | Zorgstandaard Astma bij volwassenen, Longalliantie Nederland 2012. Zorgstandaard Astma bij kinderen en jongeren, Longalliantie Nederland 2012.  |
| <b>LAN protocollen</b> | LAN protocollen. <a href="https://inhalatorgebruik.nl/nl/protocollen">https://inhalatorgebruik.nl/nl/protocollen</a>  |
| <b>LAN GGI</b>         | Rapport goed gebruik inhalatiemedicatie bij astma en COPD Januari 2018  |
| <b>LAN 2018</b>        | Landelijk kader regionale formularia inhalatiemedicatie maart 2018  |
| <b>LAN ZI 2019</b>     | LAN Zorgpad inhalatiemedicatie 2019   |
| <b>Lapi 2013</b>       | Lapi F, Kezouh A, Suissa S, Ernst P. The use of inhaled corticosteroids and the risk of adrenal insufficiency. <i>Eur Respir J</i> . 2013 Jul;42(1):79-86. doi: 10.1183/09031936.00080912. Epub 2012 Oct 11.  |

|                       |   |
|-----------------------|---|
| <b>Lareb 2006</b>     | Tandbijwerkingen en tongverkleuring Nederlands bijwerkingen centrum Lareb 2006. <a href="http://www.lareb.nl/LarebCorporateWebsite/media/publicaties/Tandbijwerkingen-en-tongverkleuring-2006.pdf">http://www.lareb.nl/LarebCorporateWebsite/media/publicaties/Tandbijwerkingen-en-tongverkleuring-2006.pdf</a>   |
| <b>Lasserton 2006</b> | Lasserson TJ, Cates CK, Jones AB, Steele EH, White J. Fluticasone versus HFA-beclometasone dipropionate for chronic asthma in adults and children. <i>Cochrane Database Syst Rev</i> 2006;CD005309.   |
| <b>Lavoie 2005</b>    | Lavoie KL, Cartier A, Labrecque M, et al. Are psychiatric disorders associated with worse asthma control and quality of life in asthma patients? <i>Respir Med</i> 2005;99:1249-57.   |
| <b>Lavoie 2010</b>    | Lavoie KL, Bouthillier D, Bacon SL, Lemière C, Martin J, Hamid Q, Ludwig M, Olivenstein R, Ernst P. Psychologic distress and maladaptive coping styles in patients with severe vmoderate asthma. <i>Chest</i> . 2010;137(6):1324.   |
| <b>Lavorini 2014</b>  | Lavorini F. Inhaled drug delivery in the hands of the patient. <i>J Aerosol Med Pulm Drug Deliv</i> . 2014 Dec;27(6):414-8.   |
| <b>Lazarinis 2014</b> | Lazarinis N, Jørgensen L, Ekström T, Bjermer L, Dahlén B, Pullerits T, Hedlin G, et al. Combination of budesonide/formoterol on demand improves asthma control by reducing exercise-induced bronchoconstriction. <i>Thorax</i> 2014;69:130-6.   |
| <b>Lazarus 2001</b>   | Lazarus SC, Boushey HA, Fahy JV, et al. Long-acting beta2-agonist monotherapy vs continued therapy with inhaled corticosteroids in patients with persistent asthma: a randomized controlled trial. <i>JAMA</i> 2001; 285:2583.  |
| <b>Lazarus 2007</b>   | Lazarus SC, Chinchilli VM, Rollings NJ, et al. Smoking affects response to inhaled corticosteroids or leukotriene receptor antagonists in asthma. <i>Am J Respir Crit Care Med</i> 2007; 175:783.   |
| <b>Ledford 2017</b>   | Ledford D, Busse W, Trzaskoma B, Omachi TA, Rosén K, Chipps BE, Luskin AT, Solari PG. A randomized multicenter study evaluating Xolair persistence of response after long-term therapy. <i>J Allergy Clin Immunol</i> . 2017 Jul;140(1):162-169.e2.   |
| <b>Lee 2007a</b>      | Lee TA, Pickard AS. Meta-analysis of azelastine nasal spray for the treatment of allergic rhinitis. <i>Pharmacotherapy</i> 2007; 27:852.  |
| <b>Lee 2007b</b>      | Lee JH, Haselkorn T, Borish L, Rasouliyan L, Chipps BE, Wenzel SE. Risk factors associated with persistent airflow limitation in severe or diffi cult-to-treat asthma: insights from the TENOR study. <i>Chest</i> 2007; 132: 1882-89.  |
| <b>Lee 2014a</b>      | Lee LA, Sterling R, Máspero J, et al. Growth velocity reduced with once-daily fluticasone furoate nasal spray in prepubescent children with perennial allergic rhinitis. <i>J Allergy Clin Immunol Pract</i> 2014; 2:421.   |
| <b>Lee 2014b</b>      | Lee HY, Kang JY, Yoon HK, et al. Clinical characteristics of asthma combined with COPD feature. <i>Yonsei Med J</i> . 2014;55(4):980-986.   |
| <b>Lee 2018</b>       | Lee JH, Jung CG, Park HS. An update on the management of aspirin-exacerbated respiratory disease. <i>Exp Rev Respir Med</i> . 2018;12:137-143.  |
| <b>Lee 2020</b>       | Lee LA, Bailes Z, Barnes N, Boulet LP, Edwards D, Fowler A, Hanania NA, Kerstjens HAM, Kerwin E, Nathan R, Oppenheimer J, Papi A, Pascoe S, Brusselle G, Peachey G, Sule N, Tabberer M, Pavord ID. Efficacy and safety of once-daily single-inhaler triple therapy (FF/UME/C/VI) versus FF/VI in patients with inadequately controlled asthma (CAPTAIN): a double-blind, randomised, phase 3A trial. <i>Lancet Respir Med</i> . 2021 Jan;9(1):69-84. doi: 10.1016/S2213-2600(20)30389-1. Epub 2020 Sep 9. Erratum in: <i>Lancet Respir Med</i> . 2021 Jan 4;; PMID: 32918892. |
| <b>Leeuw 2015</b>     | van der Leeuw S, van der Molen T, Dekhuijzen PN, Fonseca JA, van Gemert FA, Gerth van Wijk R, Kocks JW, Oosterom H, Riemersma RA, Tsiligianni IG, de Weger LA, Oude Elberink JN, Flokstra-de Blok BM. The minimal clinically important difference of the Control of Allergic Rhinitis and Asthma Test (CARAT): cross-cultural validation and relation with pollen counts. <i>NPJ Prim Care Respir Med</i> .2015 Jan 8;25:14107. doi: 10.1038/npjpcrm.2014.107.  |
| <b>Lemanske 2001</b>  | Lemanske RF Jr, Sorkness CA, Mauger EA, et al. Inhaled corticosteroid reduction and elimination in patients with persistent asthma receiving salmeterol: a randomized controlled trial. <i>JAMA</i> 2001; 285:2594.   |
| <b>Levy 2016</b>      | Levy ML, Dekhuijzen PNR, Barnes PJ. Inhaler technique: factsandfantasiesA viewfromthe Aerosol Drug Management Improvement Team (ADMIT). <i>NPJ Prim Care Respir Med</i> 2016;26:16017.  |
| <b>Leynaert 2000</b>  | Leynaert B, Neukirch F, Demoly P, Bousquet J. Epidemiologic evidence for asthma and rhinitis comorbidity. <i>J Allergy Clin Immunol</i> 2000;106:S201-S205.   |
| <b>LHSR 2000</b>      | Lung Health Study Research Group. Effect of inhaled triamcinolone on the decline in pulmonary function in chronic obstructive pulmonary disease. <i>N Engl J Med</i> 2000; 343:1902.  |

- Lim 2018** Lim HF, Nair P. Airway Inflammation and Inflammatory Biomarkers. *Semin Respir Crit Care Med.* 2018 Feb;39(1):56-63.
- Loke 2011** Loke YK, Cavallazzi R, Singh S. Risk of fractures with inhaled corticosteroids in COPD: systematic review and meta-analysis of randomised controlled trials and observational studies. *Thorax* 2011; 66:699.
- Loke 2014** Loke YK, Gilbert D, Thavarajah M, Blanco P, Wilson AM. Long-term Impact Of Inhaled Corticosteroids On Bone Mineral Density And Fracture Risk In Patients With Asthma: Systematic Review And Meta-analysis. *Thorax* 2014;69:A179 doi:10.1136/thoraxjnl-2014-206260.361
- Loke 2015** Loke YK, Blanco P, Thavarajah M, Wilson AM. Impact of Inhaled Corticosteroids on Growth in Children with Asthma: Systematic Review and Meta-Analysis. *PLoS One.* 2015 Jul 20;10(7):e0133428. doi: 10.1371/journal.pone.0133428. eCollection 2015.
- Lu 2012** Lu CL. Silent gastroesophageal reflux disease. *J. Neurogastroenterol Motil.* 2012 Jul; 18(3): 236-8.
- Lu 2015** Lu Y, Van Bever HP, Lim TK, Kuan WS, Goh DY, Mahadevan M, et al. Obesity, asthma prevalence and IL-4: Roles of inflammatory cytokines, adiponectin and neuropeptide Y. *Pediatr Allergy Immunol.* 2015;26:530-6.
- Maciel 2010** Maciel B, Morfin B. Theofylline, a new look to an old drug. *Rev Alerg Mex.* 2010 Jul-Aug;57(4):112-22.
- Mafort 2016** Mafort TT, Rufino R, Costa CH, Lopes AJ. Obesity: systemic and pulmonary complications, biochemical abnormalities and impairment of lung function. *Multidisciplinary Respiratory Medicine* (2016) 11:28. DOI 10.1186/s40248-016-0066-z. Beschikbaar op:<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4940831/>
- Malmstrom 1999** Malmstrom K, Rodriguez-Gomez G, Guerra J, et al. Oral montelukast, inhaled beclomethasone, and placebo for chronic asthma. A randomized, controlled trial. Montelukast/Beclothesone Study Group. *Ann Intern Med* 1999; 130:487.
- Mancuso 2008** Mancuso CA, Wenderoth S, Westermann H, Choi TN, Briggs WM, Charlson ME. Patient-reported and physician-reported depressive conditions in relation to asthma severity and control. *Chest.* 2008;133(5):1142.
- Mandl 1997** Mandl M, Nolop K, Lutsky BN. Comparison of once daily mometasone furoate (Nasonex) and fluticasone propionate aqueous nasal sprays for the treatment of perennial rhinitis. The 194-079 Study Group. *Ann Allergy Asthma Immunol* 1997; 79:237.
- Mann 2003** Mann M, Chowdhury B, Sullivan E, Nicklas R, Anthracite R, Meyer RJ. Serious asthma exacerbations in asthmatics treated with high-dose formoterol. *Chest.* 2003 Jul;124(1):70-4.
- Manning 2008** Manning P, Gibson PG, Lasserson TJ. Ciclesonide versus other inhaled steroids for chronic asthma in children and adults. *Cochrane Database Syst Rev* 2008;CD007031.
- Martinez 2011** Martinez FD, Chinchilli VM, Morgan WJ, Boehmer SJ, Lemanske RF Jr, Mauger DT, Strunk RC, Szefler SJ, Zeiger RS, Bacharier LB, Bade E, Covar RA, Friedman NJ, Guilbert TW, Heidarian-Raissy H, Kelly HW, Malka-Rais J, Mellon MH, Sorkness CA, Taussig L. Use of beclomethasone dipropionate as rescue treatment for children with mild persistent asthma (TREXA): a randomised, double-blind, placebo-controlled trial. *Lancet* 2011 Feb 19;377(9766):650-7. doi: 10.1016/S0140-6736(10)62145-9. Epub 2011 Feb 14.
- Masoli 2004** Masoli M, Weatherall M, Holt S, Beasley R. Budesonide once versus twice-daily administration: meta-analysis. *Respirology* 2004;9:528-34.
- Mastronarde 2009** American Lung Association Asthma Clinical Research Centers, Mastronarde JG, Anthonisen NR, Castro M, Holbrook JT, Leone FT, Teague WG, Wise RA. Efficacy of esomeprazole for treatment of poorly controlled asthma. *N Engl J Med.* 2009;360(15):1487-99.
- Mastronarde 2012** Mastronarde JG. Is there a relationship between GERD and Astma? *Gastroenterol Hepatol (NY).* 2012 2 Jun; 8(6): 401 – 403.
- Matsumoto 2001** Matsumoto H, Ishihara K, Hasegawa T, et al. Effects of inhaled corticosteroid and short courses of oral corticosteroids on bone mineral density in asthmatic patients : a 4-year longitudinal study. *Chest* 2001; 120:1468.
- Mattishent 2014** Mattishent K, Thavarajah M, Blanco P, et al. Meta-review: adverse effects of inhaled corticosteroids relevant to older patients. *Drugs* 2014; 74:539.
- McMahon 2011** McMahon AW, Levenson MS, McEvoy BW, et al. Age and risks of FDA-approved long-acting  $\beta_2$ -adrenergic receptor agonists. *Pediatrics* 2011; 128:e1147.
- McGregor 2019** McGregor MC, Krings JG, Nair P, Castro M. Role of Biologics in Asthma. *Am J Respir Crit Care Med.* 2019;199(4):433-445.
- MDR astma 2014** Multidisciplinaire Richtlijn Astma, actuele knelpunten 2014, Longalliantie Nederland.

- Meeran 1995** Meeran K, Hattersley A, Burrin J, et al. Oral and inhaled corticosteroids reduce bone formation as shown by plasma osteocalcin levels. *Am J Respir Crit Care Med* 1995; 151:333.
- Mehuys 2008** Mehuys E, Van Bortel L, De Bolle L, et al. Effectiveness of pharmacist intervention for asthma control improvement. *Eur Respir J*. 2008 apr;31(4):790-9.
- Meltzer 2011** Meltzer EO, Busse WW, Wenzel SE, et al. Use of the Asthma Control Questionnaire to predict future risk of asthma exacerbation. *J Allergy Clin Immunol* 2011;127:167-72.
- Menzella 2009** Menzella F, Facciolongo N, Castagnetti C, et al. Omalizumab: when the non-responder is a late-responder. *Eur Ann Allergy Clin Immunol* 2009; 41:155.
- Menzella 2020** Menzella F, Ruggiero P, Ghidoni G, et al. Anti-IL5 Therapies for Severe Eosinophilic Asthma: Literature Review and Practical Insights. *J Asthma Allergy* 2020;13:301-313. Published 2020 Sep 9. doi:10.2147/JAA.S258594.
- Menzies 2018** Menzies-Gow, A., Canonica, G. W., Winders, T. A., Correia de Sousa, J., Upham, J. W., & Fink-Wagner, A. H. A Charter to Improve Patient Care in Severe Asthma. *Advances in therapy* 2018, 35(10), 1485–1496.
- Mes 2018** Mes MA, Katzer CB, Chan AHY, Wileman V, Taylor SJC & Horne R. A systematic review and meta-analysis of pharmacist-led interventions to support adherence to asthma medication. *Eur Respir J*. 2018 Jul 5. pii: 1800485. doi: 10.1183/13993003.00485-2018.
- Minciullo 2004** Minciullo PL, Saija A, Bonanno D, Ferlazzo E, Gangemi S. Montelukast-induced generalized urticaria. *Ann Pharmacother*. 2004;38:999–1001.
- Mitchell 1999** Mitchell P, Cumming RG, Mackey DA. Inhaled corticosteroids, family history, and risk of glaucoma. *Ophthalmology* 1999; 106:2301.
- Miyata 2015** Miyata J, Arita M Role of omega-3 fatty acids and their metabolites in asthma and allergic diseases. *Allergol Int*. 2015 Jan;64(1):27-34. doi: 10.1016/j.alit.2014.08.003. Epub 2014 Oct 27.
- Molimard 2008** Molimard M, Girodet PO, Pollet C, Fourrier-Réglat A, Daveluy A, Haramburu F, et al. Inhaled corticosteroids and adrenal insufficiency: prevalence and clinical presentation. *Drug Saf*. 2008;31(9):769-74.
- Moore 2021** Moore WC, Kornmann O, Humbert M, Poirier C, Bel EH, Kaneko N, Smith SG, Martin N, Gilson MJ, Price RG, Bradford ES, Liu MC. Stopping versus continuing long-term mepolizumab treatment in severe eosinophilic asthma (COMET study). *Eur Respir J*. 2021 Jul 15;2100396.
- Haldar 2014** Haldar P, Brightling CE, Singapuri A, Hargadon B, Gupta S, Monteiro W, Bradding P, Green RH, Wardlaw AJ, Ortega H, Pavord ID. Outcomes after cessation of mepolizumab therapy in severe eosinophilic asthma: a 12-month follow-up analysis. *J Allergy Clin Immunol*. 2014 Mar;133(3):921-3.
- Moreira 2013** Moreira A, Bonini M, Garcia-Larsen V, et al. Weight loss interventions in asthma: EAACI Evidence-Based Clinical Practice Guideline (Part I). *Allergy* 2013;68:425-39.
- Munoz-Cano 2017** Munoz-Cano R, Torrego A, Bartra J, Sanchez-Lopez J, Palomino R, Picado C, et al. Follow-up of patients with uncontrolled asthma: clinical features of asthma patients according to the level of control achieved (the COAS study). *Eur Respir J*. 2017 Mar 2;49(3):1501885. doi: 10.1183/13993003.01885-2015.
- Murphy 2006** Murphy K, Uryniak T, Simpson B, O'Dowd L. Growth velocity in children with perennial allergic rhinitis treated with budesonide aqueous nasal spray. *Ann Allergy Asthma Immunol* 2006; 96:723.
- Mutch 2007** Mutch E, Nave R, McCracken N, et al. The role of esterases in the metabolism of ciclesonide to desisobutyrylciclesonide in human tissue. *Biochem Pharmacol* 2007; 73:1657.
- Mygind 1993** Mygind N. Glucocorticosteroids and rhinitis. *Allergy* 1993;48:476-90.
- Nair 2017** Nair P, Wenzel S, Rabe KF, Bourdin A, Lugogo NL, Kuna P, Barker P, Sproule S, Ponnarambil S, Goldman M; ZONDA Trial Investigators. Oral Glucocorticoid-Sparing Effect of Benralizumab in Severe Asthma. *N Engl J Med*. 2017 Jun 22;376(25):2448-2458.
- Nakagome 2012** Nakagome K, Matsushita S, Nagata M. Neutrophilic inflammation in severe asthma. *Int Arch Allergy Immunol*. 2012;158 Suppl 1:96-102.
- Nathan 2003** Nathan RA. Pharmacotherapy for allergic rhinitis: a critical review of leukotriene receptor antagonists compared with other treatments. *Ann Allergy Asthma Immunol* 2003;90:182-90.
- Nathan 2004** Nathan RA, Sorkness CA, Kosinski M, Schatz M, Li JT, Marcus P, et al. Development of the asthma control test: a survey for assessing asthma control. *J Allergy Clin Immunol* 2004; 113:59-65.
- Nave 2009** Nave R. Clinical pharmacokinetic and pharmacodynamic profile of inhaled ciclesonide. *Clin Pharmacokinet* 2009; 48:243.

|                            |  |
|----------------------------|--|
| <b>Nelson 2006</b>         | Nelson HS, Weiss ST, Bleeker ER, et al. The Salmeterol Multicentre Asthma Research Trial: a comparison of usual pharmacotherapy for asthma or usual pharmacotherapy plus salmeterol. <i>Chest</i> . 2006;129:15–26.  |
| <b>NHG AR 2018</b>         | NHG-Standaard Allergische en niet-allergische rhinitis <a href="https://www.nhg.org/thema/nhg-standaarden">https://www.nhg.org/thema/nhg-standaarden</a>   |
| <b>NHG astma 2020</b>      | NHG-Standaard Astma bij volwassenen (Derde herziening). <a href="https://www.nhg.org/thema/nhg-standaarden">https://www.nhg.org/thema/nhg-standaarden</a>  |
| <b>NHG Astma kind 2014</b> | NHG-Standaard Astma bij kinderen (Derde herziening) 2014.  |
| <b>NHG INH</b>             | Hulpmiddel bij keuze voor inhalator bij start met inhalatiemedicatie in de eerste lijn Tabel inhalatoren astma. Versie 1.0 september 2021. Richtlijnen.nhg.org. Geraadpleegd op 22 september 2021.   |
| <b>NHG Roken 2017</b>      | NHG-Behandelrichtlijn stoppen met roken 2017.  |
| <b>NHG Roken</b>           | NHG Zorgmodule leefstijl roken. <a href="http://www.nhg.org">http://www.nhg.org</a>  |
| <b>NHG Slaap 2014</b>      | NHG- Standaard Slaapproblemen en slaapmiddelen (Tweede herziening). <a href="https://www.nhg.org/thema/nhg-standaarden">https://www.nhg.org/thema/nhg-standaarden</a>  |
| <b>NHG SPOED</b>           | NHG-Behanderlichtlijn Geneesmiddelen en zuurstof in spoedeisende situaties. Versie 2.1 mei 2020. Richtlijnen.nhg.org.  |
| <b>Nielsen 2003</b>        | Nielsen LP, Dahl R. Comparison of intranasal corticosteroids and antihistamines in allergic rhinitis: a review of randomized, controlled trials. <i>Am J Respir Med</i> 2003;2:55-65.  |
| <b>Nieto 2007</b>          | Nieto A, Mazon A, Pamies R, et al. Adverse effects of inhaled corticosteroids in funded and nonfunded studies. <i>Arch Intern Med</i> 2007; 167:2047.  |
| <b>NIVEL 2018</b>          | Leven met een longziekte in Nederland. Cijfers en trends over de zorg- en leefsituatie van mensen met een longziekte – 2018. Nivel/Longfonds, maart 2019. <a href="http://www.nivel.nl">www.nivel.nl</a>   |
| <b>NIVEL 2020</b>          | Asthma medication in Dutch primary care. Asthma medication use and its relation with asthma outcomes. Utrecht: Nivel, 2020.  |
| <b>Nogueira-Silva 2009</b> | Nogueira-Silva L, Martins SV, Cruz-Correia R, Azevedo LF, Morais-Almeida M, Bugalho-Almeida A, Vaz M, Costa-Pereira A, Fonseca JA. Control of allergic rhinitis and asthma test--a formal approach to the development of a measuring tool. <i>Respir Res</i> . 2009 Jun 17;10(1):52. doi: 10.1186/1465-9921-10-52.   |
| <b>Nopp 2010</b>           | Nopp A, Johansson SG, Adéoyin J, et al. After 6 years with Xolair; a 3-year withdrawal follow-up. <i>Allergy</i> 2010; 65:56.  |
| <b>NVALT 2009</b>          | Richtlijn 'Diagnostiek en behandeling van het obstructieveslaapapneusyndroom bij volwassenen'; NVALT 2009.   |
| <b>NVALT 2020</b>          | NVALT. Diagnostiek en behandeling van ernstig astma. richtlijn 1-7-2020 <a href="https://richtlijnendatabase.nl/richtlijn/diagnostiek_en_behandeling_van_ernstig_astma/startpagina_-_ernstig_astma.html">https://richtlijnendatabase.nl/richtlijn/diagnostiek_en_behandeling_van_ernstig_astma/startpagina_-_ernstig_astma.html</a> .  |
| <b>NVK 2013</b>            | NVK. Richtlijn astma bij kinderen (2013). Nederlandse Vereniging voor Kindergeneeskunde. <a href="https://www.nvk.nl/Kwaliteit/Richtlijnenoverzicht/Details/tabid/1558/articleType/ArticleView/articleId/708/Astma-bij-kinderen.aspx#tab15">https://www.nvk.nl/Kwaliteit/Richtlijnenoverzicht/Details/tabid/1558/articleType/ArticleView/articleId/708/Astma-bij-kinderen.aspx#tab15</a> |
| <b>NVKNO 2010</b>          | Richtlijn Chronische Rhinosinusitis en Neuspoliepen 2010; <a href="https://www.nvalt.nl/kwaliteit/richtlijnen/copd-astma-allergie/_/COPD%20-%20astma%20-%20allergie/Richtlijn-rhinosinusitis-Augustus%202010.pdf">https://www.nvalt.nl/kwaliteit/richtlijnen/copd-astma-allergie/_/COPD%20-%20astma%20-%20allergie/Richtlijn-rhinosinusitis-Augustus%202010.pdf</a>                      |
| <b>NVLF</b>                | Nederlandse Vereniging voor Logopedie en Foniatrie. Astma. <a href="https://www.logopedie.nl/kennis/astma/">https://www.logopedie.nl/kennis/astma/</a> en <a href="https://www.logopedie.nl/nvlf/wp-content/uploads/sites/2/2020/06/Logopedie-bij-astmapatienten.pdf">https://www.logopedie.nl/nvlf/wp-content/uploads/sites/2/2020/06/Logopedie-bij-astmapatienten.pdf</a> .            |
| <b>Obase 2005</b>          | Obase Y, Matsuse H, Shimoda T, Haahtela T, Kohno S. Pathogenesis and management of aspirin-intolerant asthma. <i>Treat Respir Med</i> 2005;4:325-36.   |
| <b>O'Byrne 2018</b>        | O'Byrne PM, FitzGerald JM, Bateman ED, Barnes PJ, Zhong N, Keen C, Jorup C, et al. Inhaled combined budesonide-formoterol as needed in mild asthma. <i>N Engl J Med</i> 2018;378:1865-76.  |
| <b>O'Connor 2004</b>       | O'Connor, BJ. The ideal inhaler: design and characteristics to improve outcomes. <i>RespirMed</i> . 2004 Apr;98 SupplA:S10-6.  |
| <b>Orlandi 2016</b>        | Orlandi RR, Kingdom TT, Hwang PH et al. International Consensus Statement on Allergy and Rhinology: Rhinosinusitis. International Forum of Allergy & Rhinology, Vol. 6, No. S1, February 2016.   |
| <b>Ortega 2014</b>         | Ortega HG, Liu MC, Pavord ID, Brusselle GG, FitzGerald JM, Chetta A, Humbert M, Katz LE, Keene ON, Yancey SW, Chanez P; MENSA Investigators. Mepolizumab treatment in patients with severe eosinophilic asthma. <i>N Engl J Med</i> . 2014 Sep 25;371(13):1198-207. Erratum in: <i>N Engl J Med</i> . 2015 Apr 30;372(18):1777. PubMed PMID: 25199059.                                   |
| <b>Ottenbros 2014</b>      | Ottenbros S, Teichert M, de Groot R, Griens F, Sodihardjo F, Wensing M, de Gier JJ. Pharmacist-led intervention study to improve drug therapy in asthma and COPD patients. <i>Int J Clin Pharm</i> 2014;36(2):336-44.  |

- Papamichael 2018** Papamicael MM, Shrestha SK, Itsopoulos C, Erbas B. The role of fish intake on asthma in children: A meta-analysis of observational studies. *Pediatr Allergy Immunol.* 2018 Jun;29(4):350-360. doi: 10.1111/pai.12889.
- Papi 2007** Papi A, Canonica GW, Maestrelli P, Paggiaro P, Olivieri D, Pozzi E, Crimi N, Vignola AM, Morelli P, Nicolini G, Fabbri LM; BEST Study Group. Rescue use of beclomethasone and albuterol in a single inhaler for mild asthma. *N Engl J Med.* 2007 May 17;356(20):2040-52. doi: 10.1056/NEJMoa063861.
- Papi 2013** Papi A, Corradi M, Pigeon-Francisco C, Baronio R, Siergiejko Z, Petruzzelli S, et al. Beclometasone-formoterol as maintenance and reliever treatment in patients with asthma: a double-blind, randomised controlled trial. *Lancet Respir Med* 2013;1:23-31.
- Parry 2012** Parry GD, Cooper CL, Moore JM, et al. Cognitive behavioural intervention for adults with anxiety complications of asthma: prospective randomised trial. *Respir Med* 2012;106:802-10.
- Parsons 2013** Parsons JP, Hallstrand TS, Mastronarde JG, et al. An official American Thoracic Society clinical practice guideline: exercise-induced bronchoconstriction. *Am J Respir Crit Care Med* 2013;187:1016-27.
- Patel 2007** Patel D, Garadi R, Brubaker M, et al. Onset and duration of action of nasal sprays in seasonal allergic rhinitis patients: olopatadine hydrochloride versus mometasone furoate monohydrate. *Allergy Asthma Proc* 2007; 28:592.
- Patel 2008** Patel P, Patel D, Kunjibettu S, et al. Onset of action of ciclesonide once daily in the treatment of seasonal allergic rhinitis. *Ear Nose Throat J* 2008; 87:340.
- Patel 2013a** Patel M, Pilcher J, Reddel HK, et al. Metrics of salbutamol use as predictors of future adverse outcomes in asthma. *Clin Exp Allergy* 2013;43:1144-51.
- Patel 2013b** Patel M, Pilcher J, Pritchard A, Perrin K, Travers J, Shaw D, et al. Efficacy and safety of maintenance and reliever combination budesonide-formoterol inhaler in patients with asthma at risk of severe exacerbations: a randomised controlled trial. *Lancet Respir Med* 2013;1:32-42.
- Patel 2018** Patel SS, Casale TB, Cardet JC. Biological therapies for eosinophilic asthma. *Expert Opin Biol Ther.* 2018;18(7):747-754. doi:10.1080/14712598.2018.1492540.
- Pauwels 2003** Pauwels RA, Pedersen S, Busse WW, et al. Early intervention with budesonide in mild persistent asthma: a randomised, double-blind trial. *Lancet* 2003; 361:1071.
- Pauwels 2003a** Pauwels RA, Sears MR, Campbell M, Villasante C, Huang S, Lindh A, Petermann W, et al. Formoterol as relief medication in asthma: a worldwide safety and effectiveness trial. *Eur Respir J* 2003;22:787-94.
- Pedersen 2001** Pedersen S. Do inhaled corticosteroids inhibit growth in children? *Am J Respir Crit Care Med* 2001; 164:521.
- Pelkonen 2008** Pelkonen A, Kari O, Selroos O, et al. Ophthalmologic findings in children with asthma receiving inhaled budesonide. *J Allergy Clin Immunol* 2008; 122:832.
- Pellegrino 2005** Pellegrino R, Viegi G, Brusasco V, Crapo RO, Burgos F, Casaburi R, et al. Interpretative strategies for lung function tests. *Eur Respir J* 2005;26:948-68.
- Peters 2016** Peters SP, Bleeker ER, Canonica GW, Park YB, Ramirez R, Hollis S, Fjallbrant H, et al. Serious asthma events with budesonide plus formoterol vs. budesonide alone. *N Engl J Med* 2016;375:850-60.
- Pieters 2014** Pieters L, Vijverberg S, Raaijmakers J, van der Ent K, Maitland-van der Zee A. Astmadiagnose bij kinderen. *Huisarts en wetenschap* 2014; Volume 57, pag:446-451.
- Pinto 2016** Pinto JA, Ribeiro DK, Cavallini AF, Duarte C, Freitas GS. Comorbidities associated with obstructive sleep apnea: a retrospective study. *Int Arch Otorhinolaryngol.* 2016;20:145-50.
- Poetker 2013** Poetker DM, Jakubowski LA, Lal D, Hwang PH, Wright ED, Smith TL. Oral corticosteroids in the management of adult chronic rhinosinusitis with and without nasal polyps: an evidence based review with recommendations. *Int Forum Allergy Rhinol.* 2013;3(2):104-20.
- Postma 2017** Postma DS, Dekhuijzen R, van der Molen T, Martin RJ, van Aalderen W, Roche N, Guilbert TW, Israel E, van Eickels D, Khalid JM, Herings RM, Overbeek JA, Miglio C, Thomas V, Hutton C, Hillyer EV, Price DB. Asthma-Related Outcomes in Patients Initiating Extrafine Ciclesonide or Fine-Particle Inhaled Corticosteroids. *Allergy Asthma Immunol Res.* 2017 Mar;9(2):116-125. doi: 10.4168/aair.2017.9.2.116.
- Price 2014** Price D, Fletcher M, Van der Molen T. Asthma control and management in 8,000 European patients: the REcognise Asthma and LInk to Symptoms and Experience (REALISE) survey. *NPJ Prim Care Respir Med.* 2014; 24: 14009.

- Pruteanu 2014** Pruteanu AI, Chauhan BF, Zhang L, Prietsch SO, Ducharme FM. Inhaled corticosteroids in children with persistent asthma: dose-response effects on growth. Cochrane Database Syst Rev. 2014 Jul 17;7:CD009878. doi: 10.1002/14651858.CD009878.pub2.
- Pullerits 2002** Pullerits T, Praks L, Ristioja V, Lötvall J. Comparison of a nasal glucocorticoid, antileukotriene, and a combination of antileukotriene and antihistamine in the treatment of seasonal allergic rhinitis. J Allergy Clin Immunol 2002; 109:949.
- PW 2020** van den Houdt. Patiënt voelt zich vaak meteen alweer ietsje beter dankzij zorg op maat'. PW 10 - 06-03-2020.
- Quanjer 2012** Quanjer PH, Stanojevic S, Cole TJ, Baur X, Hall GL, Culver B, et al. Multi-ethnic reference values for spirometry for the 3-95 year age range: the global lung function 2012 equations. European Respiratory Journal 2012.
- QOLTECH** Measurement of Health-Related Quality of Life & Asthma Control [<https://www.qoltech.co.uk/paqlq.html> geraadpleegd op juli 2021]
- Rabe 2006** Rabe KF, Atienza T, Magyar P, Larsson P, Jorup C, Laloo UG. Effect of budesonide in combination with formoterol for reliever therapy in asthma exacerbations: a randomised controlled, double-blind study. Lancet 2006;368:744-53.
- Rabe 2018** Rabe KF, Nair P, Brusselle G, Maspero JF, Castro M, Sher L, Zhu H, Hamilton JD, Swanson BN, Khan A, Chao J, Staudinger H, Pirozzi G, Antoni C, Amin N, Ruddy M, Akinlade B, Graham NMH, Stahl N, Yancopoulos GD, Teper A. Efficacy and Safety of Dupilumab in Glucocorticoid-Dependent Severe Asthma. N Engl J Med. 2018 Jun 28;378(26):2475-2485.
- Ramage 1994** Ramage L, Lipworth BJ, Ingram CG, et al. Reduced protection against exercise induced bronchoconstriction after chronic dosing with salmeterol. Respir Med 1994; 88:363.
- Rank 2013** Rank MA, Hagan JB, Park MA, Podjasek JC, Samant SA, Volcheck GW. The risk of asthma exacerbation after stopping low-dose inhaled corticosteroids: a systematic review and meta-analysis of randomized controlled trials. J Allergy Clin Immunol. 2013 Mar;131(3):724-9. doi: 10.1016/j.jaci.2012.11.038. Epub 2013 Jan 12.
- Rank 2015** Rank MA, Johnson R, Branda M, Herrin J, van Houten H, Gionfriddo MR, et al. Long-term Outcomes After Stepping Down Asthma Controller Medications: A Claims-Based, Time-to-Event Analysis. Chest. 2015 Sep 1;148(3):630-9. doi: 10.1378/chest.15-0301.
- Ratner 2003** Ratner PH, Howland WC III, Arastu R, Philpot EE, Klein KC, Baidoo CA, et al. Fluticasone propionate aqueous nasal spray provided significantly greater improvement in daytime and nighttime nasal symptoms of seasonal allergic rhinitis compared with montelukast. Ann Allergy Asthma Immunol 2003;90:536-42.
- Reddel 2017** Reddel HK, Busse WW, Pedersen S, Tan WC, Chen YZ, Jorup C, Lythgoe D, et al. Should recommendations about starting inhaled corticosteroid treatment for mild asthma be based on symptom frequency: a post-hoc efficacy analysis of the START study. Lancet 2017;389:157-66.
- Remmelink 2010** Remmelink HJ, Hoekema A. De 'Richtlijn Diagnostiek en behandeling van het obstructieve slaapapneusyndroom bij volwassenen' Ned Tijdschr Tandheelkd 2010; 117: 227-231.
- Repsher 1984** Repsher LH, Anderson JA, Bush RK, et al. Assessment of tachyphylaxis following prolonged therapy of asthma with inhaled albuterol aerosol. Chest 1984; 85:34.
- Richy 2003** Richy F, Bousquet J, Ehrlich GE, et al. Inhaled corticosteroids effects on bone in asthmatic and COPD patients: a quantitative systematic review. Osteoporos Int 2003; 14:179.
- Rijkers 2009** Immunologie. Houten: Bohn Stafleu van Loghum; 2009; p. 408
- RIVM 2011** Rijksinstituut voor Volksgezondheid en Milieu; RIVM Rapport 260384001/2011 Astma bij kinderen tot 12 jaar. Resultaten van het PIAMA-onderzoek.
- RL MO 2019** Multidisciplinaire 'Richtlijn overdracht van medicatiegegevens in de keten. Herziening 2018/2019' <https://www.zorginzicht.nl/binaries/content/assets/zorginzicht/kwaliteitsinstrumentenKwaliteitsstandaard+Overdracht+van+medicatiegegevens+in+de+keten.pdf>
- Rodrigo 2015** Rodrigo GJ, Castro-Rodriguez JA. What is the role of tiotropium in asthma?: a systematic review with meta-analysis. Chest 2015;147:388-96.
- Rowe 2001** Rowe BH, Spooner C, Ducharme FM, et al. Early emergency department treatment of acute asthma with systemic corticosteroids. Cochrane Database Syst Rev 2001;CD002178.
- Roy 1996** Roy A, Leblanc C, Paquette L, et al. Skin bruising in asthmatic subjects treated with high doses of inhaled steroids: frequency and association with adrenal function. Eur Respir J 1996; 9:226.

- Sampol 1998** Sam pol G, Muñoz X, Sagalés MT, Martí S, Roca A, Dolors de la Calzada M, et al. Long-term efficacy of dietary weight loss in sleep apnoea/ hypopnoea syndrome. *Eur Respir J* 1998; 12: 1156-1159.
- Sannarangappa 2014** Sannarangappa V, Jalleh r. Inhaled corticosteroids and secondary adrenal insufficiency. *Open Respir Med J*. 2014 Jan 31;8:93-100. doi: 10.2174/1874306401408010093.
- Sansing 2021** Sansing-Foster V, Haug N, Mosholder A, Cocoros NM, Bradley M, Ma Y, Pennap D, Dee EC, Toh S, Pestine E, Petrone AB, Kim I, Lyons JG, Eworuke E. Risk of Psychiatric Adverse Events Among Montelukast Users. *J Allergy Clin Immunol Pract* 2021 Jan;9(1):385-393.e12. doi: 10.1016/j.jaip.2020.07.052. Epub 2020 Aug 11.
- Scanlon 2004** Scanlon PD, Connett JE, Wise RA, et al. Loss of bone density with inhaled triamcinolone in Lung Health Study II. *Am J Respir Crit Care Med* 2004; 170:1302.
- Schatz 2006** Schatz M, Sorkness CA, Li JT, Marcus P, Murray JJ, Nathan RA. Asthma Control Test: reliability, validity, and responsiveness in patients not previously followed by asthma specialists. *J Allergy Clin Immunol*. 2006 Mar;117(3):549-56.
- Schatz 2012** Schatz M, Zeiger RS, Yang SJ, et al. The relationship of asthma impairment determined by psychometric tools to future asthma exacerbations. *Chest* 2012;141:66-72.
- Schoettler 2020** Schoettler N, Strek ME. Recent Advances in Severe Asthma: From Phenotypes to Personalized Medicine. *Chest*. 2020;157(3):516-528. doi:10.1016/j.chest.2019.10.009.
- Schumock 2012** Schumock GT, Stayner LT, Valuck RJ, Joo MJ, Gibbons RD, Lee TA. Risk of suicide attempt in asthmatic children and young adults prescribed leukotriene-modifying agents: a nested case-control study. *J Allergy Clin Immunol*. 2012;130(2):368.
- Schwartz 2012** Schwartz H, Neascu O, Ascher DP, Alpan O. Moderate dose inhaled corticosteroid-induced symptomatic adrenal suppression: Case report and Review of the literature. *Clin Pediatr* 2012; 51 (12): 1184-1190.
- Scott 2013** Scott H, Gibson P, Garg M, Pretto J, Morgan P, Callister R. *Clin Exp Allergy*. Dietary restriction and exercise improve airway inflammation and clinical outcomes in overweight and obese asthma: a randomized trial. 2013 Jan;43(1):36-49.
- Senna 2017** Senna G, Caminati M, Bovo C, Canonica G, Passalacqua G. The role of the pharmacy in the management of bronchial asthma A literature-based evaluation. *Ann Allergy Asthma Immunol*. 2017 Feb;118(2):161-165.
- Simons 1993** Simons FE, Persaud MP, Gillespie CA, et al. Absence of posterior subcapsular cataracts in young patients treated with inhaled glucocorticoids. *Lancet* 1993; 342:776.
- Slavin 2009** Slavin RG, Ferioli C, Tannenbaum SJ, et al. Asthma symptom re-emergence after omalizumab withdrawal correlates well with increasing IgE and decreasing pharmacokinetic concentrations. *J Allergy Clin Immunol* 2009; 123:107.
- Smeeth 2003** Smeeth L, Boulis M, Hubbard R, Fletcher AE. A population based case-control study of cataract and inhaled corticosteroids. *Br J Ophthalmol* 2003; 87:1247.
- Smith 2006** Smith I, Lasserson TJ, Wright J. Drug therapy for obstructive sleep apnoea in adults. *Cochrane Database Syst Rev* 2006; 2: CD003002
- Sobieraj 2018** Sobieraj DM, Weeda ER, Nguyen E, Coleman CI, White CM, Lazarus SC, Blake KV, Lang JE, Baker WL. Association of Inhaled Corticosteroids and Long-Acting  $\beta$ -Agonists as Controller and Quick Relief Therapy With Exacerbations and Symptom Control in Persistent Asthma: A Systematic Review and Meta-analysis. *JAMA* 2018 Apr 10;319(14):1485-1496. doi: 10.1001/jama.2018.2769.
- Sorva 1992** Sorva R, Turpeinen M, Juntunen-Backman K, et al. Effects of inhaled budesonide on serum markers of bone metabolism in children with asthma. *J Allergy Clin Immunol* 1992; 90:808.
- Spina 2017** Spina D, Page C. Xanthines and Phosphodiesterase inhibitors. *Handb Exp Pharmacol*. 2017;237:63-91. <http://www.spirxpert.com/spirxpertnl/indicesnl.htm>, geraadpleegd op 30-08-2016.
- Spooner 2003** Spooner CH, Spooner GR, Rowe BH. Mast-cell stabilising agents to prevent exercise-induced bronchoconstriction. *Cochrane Database Syst Rev*. 2003.
- Steenis 2014** Van Steenis M, Driesenaar J, Bensing J, Van Hulten R, Souverein P, Van Dijk L, De Smet P, Van Dulmen A. Relationship between medication beliefs, self-reported and refill adherence, and symptoms in patients with asthma using inhaled corticosteroids. *Patient Prefer Adherence*. 2014 Jan 13;8:83-91. doi: 10.2147/PPA.S44185. PubMed PMID: 24470757; PubMed Central PMCID: PMC3895030.

- Stelmach 2008** Stelmach I, Grzelewski T, Majak P, Jerzynska J, Stelmach W, Kuna P. Effect of different antiasthmatic treatments on exercise-induced bronchoconstriction in children with asthma. *J Allergy Clin Immunol.* 2008;121(2):383.
- Stempel 2016** Stempel DA, Raphiou IH, Kral KM, Yeakey AM, Emmett AH, Prazma CM, et al. for the AUSTRI Investigators. Serious Asthma Events with Fluticasone plus Salmeterol versus Fluticasone Alone. March 6, 2016. DOI: 10.1056/NEJMoa1511049.
- Stempel 2016b** Stempel DA, Szeffler SJ, Pedersen S, Zeiger RS, Yeakey AM, Lee LA, Liu AH, Mitchell H, Kral KM, Raphiou IH, Prillaman BA, Buaron KS, Yun Kirby S, Pascoe SJ; VESTRI Investigators. Safety of Adding Salmeterol to Fluticasone Propionate in Children with Asthma. *N Engl J Med.* 2016 Sep 1;375(9):840-9. doi: 10.1056/NEJMoa1606356.
- Stichting IMIS** Vernevelen in de thuissituatie, www.stichtingimis.nl.
- Stoppen met roken 2009** Zorgmodule stoppen met roken, december 2009 www.partnershipstopmetroken.nl
- Stubner 2004** Stübner P, Zieglmayer R, Horak F. A direct comparison of the efficacy of antihistamines in SAR and PAR: randomised, placebo-controlled studies with levocetirizine and loratadine using an environmental exposure unit - the Vienna Challenge Chamber (VCC). *Curr Med Res Opin* 2004; 20:891.
- Stuurman-Bieze 2004** Stuurman-Bieze, A. G. G. Interventions on the principle of Pulmonary Medication Profiles: A strategy in pharmaceutical care Groningen: s.n.,2004. 216 p.
- Stuurman-Bieze 2005** Stuurman-Bieze, M. Kokenberg, H. Tobi, W.de Boer, J. van Doormaal, L. de Jong-van den Berg, Th. Tromp. Complex pharmaceutical care intervention in pulmonary care Part B. Patiënt opinion and process survey. *Pharm World Sci* (2005) 27: 385-392.
- Suissa 2004** Suissa S, Baltzan M, Kremer R, Ernst P. Inhaled and nasal corticosteroid use and the risk of fracture. *Am J Respir Crit Care Med* 2004; 169:83.
- Sumino 2020** Sumino K, Bacharier LB, Taylor J, Chadwick-Mansker K, Curtis V, Nash A, Jackson-Triggs S, Moen J, Schechtman KB, Garbutt J, Castro M. A Pragmatic Trial of Symptom-Based Inhaled Corticosteroid Use in African-American Children with Mild Asthma. *J Allergy Clin Immunol Pract.* 2020 Jan;8(1):176-185. e2. doi: 10.1016/j.jaip.2019.06.030. Epub 2019 Jul 30.
- Sutherland 2008** Sutherland ER, Goleva E, Strand M, Beuther DA, Leung DY. Body mass and glucocorticoid response in asthma. *Am J Respir Crit Care Med* 2008;178:682-7.
- Szeffler 2002** Szeffler SJ, Martin RJ, King TS, et al. Significant variability in response to inhaled corticosteroids for persistent asthma. *J Allergy Clin Immunol* 2002; 109:410.
- Tan 2013** Tan BK, Chandra RK, Pollak J, et al. Incidence and associated premorbid diagnoses of patients with chronic rhinosinusitis. *J Allergy Clin Immunol* 2013;131:1350-60.
- Tattersfield 2001** Tattersfield AE, Town GI, Johnell O, et al. Bone mineral density in subjects with mild asthma randomised to treatment with inhaled corticosteroids or non-corticosteroid treatment for two years. *Thorax* 2001; 56:272.
- Tattersfield 2001a** Tattersfield AE, Lofdahl CG, Postma DS, Eivindson A, Schreurs AG, Rasidakis A, Ekstrom T. Comparison of formoterol and terbutaline for as-needed treatment of asthma: a randomised trial. *Lancet* 2001;357:257-61.
- Taramarcz 2003** Taramarcz P, Gibson PG. Intranasal corticosteroids for asthma control in people with coexisting asthma and rhinitis. *Cochrane Database Syst Rev* 2003;CD003570
- Tayeb 2013** Tayeb MM. Allergy to montelukast sodium treated effectively by protracted oral desensitization: first case report. *Glob Adv Res J Med Med Sci.* 2013;2:120-124.
- Telenga 2013** Telenga ED, Kerstjens HAM, Hacken ten NHT, Postma DS, Berge van den M. Inflammation and corticosteroid responsiveness in ex-, current- and never-smoking asthmatics. *BMC Pulmonary Medicine* 2013, 13: 58.
- ten Brinke 2001a** ten Brinke A, Ouwerkerk ME, Bel EH, Spinhoven P. Similar psychological characteristics in mild and severe asthma. *J Psychosom Res.* 2001;50(1):7.
- ten Brinke 2001b** ten Brinke A, Zwinderman AH, Sterk PJ, Rabe KF, Bel EH. Factors associated with persistent airflow limitation in severe asthma. *Am J Respir Crit Care Med* 2001; 164: 744-48.
- ten Brinke 2005** ten Brinke A, Sterk PJ, Masleee AA, Spinhoven P, Schmidt JT, Zwinderman AH, Rabe KF, Bel EH. Risk factors of frequent exacerbations in difficult-to-treat asthma. *Eur Respir J.* 2005;26(5):812.

- Teodorescu 2010** Teodorescu M, Polomis DA, Hall SV, Teodorescu MC, Gangnon RE, Peterson AG, Xie A, Sorkness CA, Jarjour NN. Association of obstructive sleep apnea risk with asthma control in adults. *Chest*. 2010;138(3):543.
- Teoh 2012** Teoh L, Cates CJ, Hurwitz M, Acworth JP, van Asperen P, Chang AB. Anticholinergic therapy for acute asthma in children. *Cochrane Database of Systematic Reviews* 2012, Issue 4. Art. No.: CD003797.
- Thomson 2005** Thomson NC, Spears M. The influence of smoking on the treatment response in patients with asthma. *Curr Opin Allergy Clin Immunol* 2005;5:57-63.
- Thomson 2007** Thomson NC. Smokers with asthma: what are the management options? *Am J Respir Crit Care Med* 2007; 175:749.
- Thomson 2016** Thomson NC. Novel approaches to the management of noneosinophilic asthma. *Ther Adv Respir Dis* 2016, Vol. 10(3) 211–234 DOI: 10.1177/1753465816632638.
- Tomlinson 2005** Tomlinson JE, McMahon AD, Chaudhuri R, et al. Efficacy of low and high dose inhaled corticosteroid in smokers versus non-smokers with mild asthma. *Thorax* 2005; 60:282.
- Tredwin 2005** Tredwin CJ, Scully C, Bagan-Sebastian JV. Drug-induced disorders of teeth. *J Dent Res* 2005; 84: 596-602.
- Ulrik 2016** Ulrik CS. Asthma symptoms in obese adults: the challenge of achieving asthma control. *Expert Rev Clin Pharmacol*. 2016;9(1):5-8.
- Vaidyanathan 2011** Vaidyanathan S, Barnes M, Williamson P, Hopkinson P, Donnan PT, Lipworth B. Treatment of chronic rhinosinusitis with nasal polyposis with oral steroids followed by topical steroids: a randomized trial. *Ann Intern Med*. 2011;154(5):293-302.
- Van Boven 2013** Van Boven JF, Hiddink EG, Stuurman-Bieze AG, Schuiling-Veninga CC, Postma MJ, Vegter S. The pharmacists' potential to provide targets for interventions to optimize pharmacotherapy in patients with asthma. *Int J Clin Pharm* 2013 ;35(6):1075-82.
- Van Boven 2014** van Boven JFM, Stuurman-Bieze AGG, Hiddink EG, Postma MJ, Vegter S. Gerichte farmaceutische zorg voor patiënten met astma en COPD: een oriënterende studie. PW Wetenschappelijk Platform. 2014;8:a1413.
- Van Boven 2016** van Boven JFM, M Román-Rodríguez, JF Palmer, N Toledo-Pons, BG Cosío, JB Soriano. Comorbidome, pattern and impact of asthma-COPD overlap syndrome (ACOS) in real life. *Chest* 2016; 149(4):1011-1020
- Van Nederveen-Bendien 2018** van Nederveen-Bendien SA, van Oord-Bosselaar SRJ, Feitsma H, Kappen JH. Medicamenteuze behandeling van astma tijdens zwangerschap. *Ned Tijdschr Geneeskde*. 2018;162:D2099.
- Van der Palen 1999** Van der Palen J, Klein JJ, van Herwaarden CL, ZielhuisGA, Seydel ER. Multiple inhalers confuse asthmapatients. *EurRespir J* 1999 Nov;14(5):1034-7.
- Van der Molen** Van der Molen T, Postma DS, Martin RJ, Herings RMC, Overbeek JA, Thomas V, Miglio C, et al. 2016 Effectiveness of initiating extrafine-particle versus fine-particle inhaled corticosteroids as asthma therapy in the Netherlands. *BMC Pulm Med* 2016;16:80.
- Van der Molen** Van der Molen T, Foster JM, Caaser M, Müller T, Postma DS. Difference between patiënt-reported side 2012 effects of ciclesonide versus fluticasone propionate. *Respir Med*. 2010 Dec;104(12):1825-33. Doi10.1016/j.rmed.2010.05.021. Epub 2010 Jul 2.
- Vasbinder 2016** Vasbinder E, Goossens L, Rutten-van Molken M, De Winter B, van Dijk L, Vulto A. E-Monitoring of Asthma Therapy to Improve Compliance in children (e-MATIC): a randomised controlled trial. *Eur Respir J*. 2016 Sep;48(3):758-67.
- Verberne 1996** Verberne AAPH, Hop W, Creyghton FBM. Airway responsiveness after a single dose of salmeterol and during four months of treatment in children with asthma. *J Allergy Clin Immunol* 1996;97:938.
- Virchow 2015** Virchow JC, Virchow JC, Cezmi A, Darba J, Dekhuijzen R, Hartl S, Kobelt G. A review of the value of innovation in inhalers for COPD and asthma. *J Mark AccHealth Pol* 2015 sep; 16(3):28760.
- Virchow 2019** Virchow JC, Kuna P, Paggiaro P, Pap A, Sinh D, Corre S, Zuccaro F, Vele A, Kots M, Georges G, Petruzzelli S, Canonica GW. Single inhaler extrafine triple therapy in uncontrolled asthma (TRIMARAN and TRIGGER): two double-blind parallel-group, randomised, controlled phase 3 trials. *Lancet* 2019;394:1737-1749.

- Vries 2007** de Vries F, Pouwels S, Lammers JW, et al. Use of inhaled and oral glucocorticoids, severity of inflammatory disease and risk of hip/femur fracture: a population-based case-control study. *J Intern Med* 2007; 261:170.
- Waddell 2003** Waddell AN, Patel SK, Toma AG, Maw AR. Intranasal steroid sprays in the treatment of rhinitis: is one better than another? *J Laryngol Otol* 2003;117:843-5.
- Wang 2002** Wang DY. Treatment of allergic rhinitis: H1-antihistamines and intranasal steroids. *Curr Drug Targets Inflamm Allergy* 2002;1:215-20.
- Wang 2009** Wang JJ, Rochtchina E, Tan AG, et al. Use of inhaled and oral corticosteroids and the long-term risk of cataract. *Ophthalmology* 2009; 116:652.
- Wardenier 2015** Wardenier NRE, Klok T, Groot de EP, Brand PLP. Height growth in children with asthma treated with guideline-recommended dosages of fluticasone and electronically assessed adherence. *Arch Dis Child* 2015. doi:10.1136/archdischild-2015-309654.
- Wark 2014** Wark P, Gibson PG,Wilson A. Az oles for allergic bronchopulmonary aspergillosis associated with asthma. *Cochrane Database of Systematic Reviews* 2004, Issue 3. Art. No.: CD001108.
- Watkins 2013** Watkins L, Soriano JB, Mortimer K. Getting risks right on inhaled corticosteroids and adrenal insufficiency. *Eur Respir J*. 2013. DOI: 10.1183/09031936.00204212 Published 1 July 2013.
- Watkins 2016** Watkins K, Boudin A, Trevenen M, Murry K, Kendall PA, Schneider CR, et al. Opportunities to develop the professional role of community pharmacists in the care of patients with asthma: a cross-sectional study. *NPJ Prim Care Respir Med*. 2016; 26: 16082.
- Wechsler 2015** Wechsler ME, Yawn BP, Fuhlbrigge AL, Pace WD, Pencina MJ, Doros G, et al. Anticholinergic vs Long-Acting B-agonist in Combination With Inhaled Corticosteroids in Black Adults With Astma: The BELT Randomized Clinical Trial. *JAMA* 2015; 314 (16): 1720-1730.
- Weersink 2013** Weersink EJM, Bel EHD, Braunstahl GJ, ten Brinke A, Rijssenbeek-Nouwens LHM, Roldaan AC. Diagnostiek en behandeling van ernstig astma bij volwassenen: The Dutch guideline for severe asthma. *Ned Tijdschr Allergie & Astma* 2013;13:154-160.
- Weinberger 2002** Weinberger M, Murray MD, Marrero DG, Brewer N, Lykens M, Harris LE, Seshadri R, Caffrey H, Roesner JF, Smith F, Newell AJ, Collins JC, McDonald CJ, Tierney WM. Effectiveness of pharmacist care for patients with reactive airways disease: a randomized controlled trial. *JAMA* 2002 Oct 2;288(13):1594-602.
- Welsh 2010** Welsh EJ, Cates CJ. Formoterol versus short-acting beta-agonists as relief medication for adults and children with asthma. *Cochrane Database Syst Rev* 2010:CD008418.
- Wendel-Vos 2003** Wendel-Vos GC, Schuit AJ, Saris WH, Kromhout D. Reproducibility and relative validity of the short questionnaire to assess health-enhancing physical activity. *J Clin Epidemiol*. 2003 Dec;56(12):1163-9.
- Wenzel 2016** Wenzel S, Castro M, Corren J, Maspero J, Wang L, Zhang B, Pirozzi G, Sutherland ER, Evans RR, Joish VN, Eckert L, Graham NM, Stahl N, Yancopoulos GD, Louis-Tisserand M, Teper A. Dupilumab efficacy and safety in adults with uncontrolled persistent asthma despite use of medium-to-high-dose inhaled corticosteroids plus a long-acting  $\beta$ 2 agonist: a randomised double-blind placebo-controlled pivotal phase 2b dose-ranging trial. *Lancet*. 2016 Jul 2;388(10039):31-44.
- Westby 2004** Westby MJ, Benson MK, Gibson PG. Anticholinergic agents for chronic asthma in adults. *Cochrane Database of Systematic Reviews* 2004, Issue 3. Art. No.: CD003269. doi:10.1002/14651858.CD003269.pub2.
- Westerik 2016** Westerik JA, Carter V, Chrystyn H, Burden A, Thompson SL, Ryan D et al. Characteristics of patients making serious inhaler errors with a dry powder inhaler and association with asthma-related events in a primary care setting. *J Asthma*2016;26:1-9.
- Wolthers 1991** Wolthers OD, Pedersen S. Growth of asthmatic children during treatment with budesonide: a double blind trial. *BMJ* 1991; 303:163.
- Wong 2000** Wong CA, Walsh LJ, Smith CJ, et al. Inhaled corticosteroid use and bone-mineral density in patients with asthma. *Lancet* 2000; 355:1399.
- Wood 2011** Wood LG, Garg ML, Gibson PG. A high-fat challenge increases airway inflammation and impairs bronchodilator recovery in asthma. *J Allergy Clin Immunol*. 2011 May;127(5):1133-40. doi: 10.1016/j.jaci.2011.01.036. Epub 2011 Mar 5.
- Wood 2012** Wood LG, Garg ML, Smart JM, Scott HA, Barker D, Gibson PG. Manipulating antioxidant intake in asthma: a randomized controlled trial. *Am J Clin Nutr* 2012;96:534-43.

- Wood 2017** Wood LG. Diet, Obesity, and Asthma. Ann Am Thorac Soc. 2017 Nov;14(Supplement\_5):S332-S338. doi: 10.1513/AnnalsATS.201702-124AW.
- Woodcock 2017** Woodcock A, Vestbo J, Bakerly ND, New J, Gibson JM, McCorkindale S, Jones R, et al. Effectiveness of fluticasone furoate plus vilanterol on asthma control in clinical practice: an open-label, parallel group, randomised controlled trial. Lancet 2017;390:2247-55.
- Yanez 2002** Yanez A, Rodrigo GJ. Intranasal corticosteroids versus topical H1 receptor antagonists for the treatment of allergic rhinitis: a systematic review with meta-analysis. Ann Allergy Asthma Immunol 2002;89:479-84.
- Yang 2012** Yang IA, Clarke MS, Sim EH, Fong KM. Inhaled corticosteroids for stable chronic obstructive pulmonary disease. Cochrane Database Syst Rev 2012; 7:CD002991.
- Yates 1995** Yates DH, Sussman HS, Shaw MJ, Barnes PJ, Chung KF. Regular formoterol treatment in mild asthma. Effect on bronchial responsiveness during and after treatment. Am J Respir Crit Care Med 1995;152:1170-4.
- Yigla 2003** Yigla M, Tov N, Solomonov A, Rubin AH, Harlev D. Difficult-to-control asthma and obstructive sleep apnea. J Asthma. 2003 Dec;40(8):865-71.
- Yorke 2005** Yorke J, Fleming SL, Shuldharn C. Psychological interventions for children with asthma. Cochrane Database of Systematic Reviews. 2005 Oct. 19.
- Yorke 2006** Yorke J, Fleming SL, Shuldharn C. Psychological interventions for adults with asthma. Cochrane Database Syst Rev. 2006 Jan 25.
- Zavorsky 2015** Zavorsky GS, et al. Combined effects of mild-to-moderate obesity and asthma on physiological and sensory responses to exercise. Respir Med. 2015;109:1397-403.
- Zhang 2014** Zhang L, Prietsch SO, Ducharme FM. Inhaled corticosteroids in children with persistent asthma: effects on growth. Cochrane Database Syst Rev 2014; 7:CD009471.
- Zhang 2016** Zhang L, He L, Gong J, Liu C. Risk Factors Associated with Irreversible Airway Obstruction in Asthma: A Systematic Review and Meta-Analysis. Biomed Res Int. 2016; 2016:9868704.
- Zhang 2021** Zhang et al. Effects of physical therapy on lung function in children with asthma: a systematic review and meta-analysis. Pediatr Res, 2021 May;89(6):1343-1351.
- Zhao 2015** Zhao J, Zhak Y, Zhu W, Sun D. Effectiveness of Telemedicine for Controlling Asthma Symptoms: A Systematic Review and Meta-analysis. Telemed J E Health. 2015 Jun;21(6):484-92.
- Zwikker 2015** Zwikker HE, Vervloet M, Koster E, Philbert D, Damen N, van Dijk L. Gevolgen van preferentiebeleid en farmaceutische zorginkoop: ervaringen van gebruikers van longmedicatie. Farmamagazine online 2015 sept.